

## **Publikationen aus der Technologieplattform »MEMS Aktoren« der Forschungsfabrik Mikroelektronik Deutschland (2025)**

- Karumanchi, J.; Liebermann, J.; Beyer, V.; Lehmann, M.; Mayer, D. (2025): Self-Detection of Mounting Looseness with a MEMS Accelerometer. In: 2025 Smart Systems Integration Conference and Exhibition, SSI 2025 (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105015384689&doi=10.1109%2FSSI65953.2025.11107198&partnerID=40&md5=d79fde410ca90f427c3cb7c55eedc98b>. DOI: 10.1109/SSI65953.2025.11107198
- Beckert, E.; Kirschbaum, M.; Danz, N.; Kemper, F.; Godino, N.; Bruns, V.; Schmueck-Henneresse, M.; Benz, M.; Hetzel, J.; Schoenfelder, T.; Schulenberg, S.; Kletzander, R.; Pfisterer, F.; Gerlach, T. (2025): Highly flexible, precise dielectrophoretic, AI image analysis enabled sorting of cells in a microfluidic system. In: Progress in Biomedical Optics and Imaging - Proceedings of SPIE (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105004306295&doi=10.1117%2F12.3043648&partnerID=40&md5=5581868691aa9199dd63c7213e7fdc6f>. DOI: 10.1117/12.3043648
- Hwang, J.-Y.; Henschke, A.; Wysocki, L.; Raschdorf, P.; Ligges, M.; Kasischke, M.; Mensing, M.; Kapels, H.; Gu-Stoppel, S. (2025): Piezoelectric MEMS Mirror Based SPAD LiDAR System Enabling Real-Time Monitoring Across Large Covered Areas for Smart Factory Applications. In: Proceedings of SPIE - The International Society for Optical Engineering (1). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105001921659&doi=10.1117%2F12.3042925&partnerID=40&md5=2d61772e8da579f191f9aab73f1ba50d>. DOI: 10.1117/12.3042925
- Jongmanns, M. (2025): Active ultrasonic measurements for machine condition monitoring. In: Conference Record - IEEE Instrumentation and Measurement Technology Conference (2). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105012160184&doi=10.1109%2FI2MTC62753.2025.11079063&partnerID=40&md5=6e0caad61241781cc224e782d26bc62c>. DOI: 10.1109/I2MTC62753.2025.11079063
- Köble, S.; Trittler, T.; Lange, N.; Koch, S.G.; Kupnik, M. (2025): Air-coupled CMUTs beyond 2 MHz. In: IEEE International Ultrasonics Symposium, IUS (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105021799794&doi=10.1109%2FIUS62464.2025.11201471&partnerID=40&md5=403a7a4c074f1fc3a8f6e9df30f6793d>. DOI: 10.1109/IUS62464.2025.11201471
- Monsalve, J.M.; Koch, S.G.; Jongmanns, M.; Langa, S.; Mrosk, A.; Stolz, M. (2025): High-Resolution Pulse-Echo Detection by Means of Wideband Airborne Ultrasonic Signals. In: IEEE International Ultrasonics Symposium, IUS (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0->

105021810260&doi=10.1109%2FIUS62464.2025.11201795&partnerID=40&md5=8b0965a513d5e2f12d8e773f2f708756. DOI: 10.1109/IUS62464.2025.11201795

- Trittler, T.; Walter, S.; Schweiger, S.; Kirchner, R.; Köble, S.; Kober, J.; Koop, P.-H.; Nauber, R.; Heuer, H.; Herzog, M. (2025): Towards Additive Manufacturing of Broadband Metamaterial Matching Layers using Two-Photon Polymerization Lithography. In: IEEE International Ultrasonics Symposium, IUS (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105021827362&doi=10.1109%2FIUS62464.2025.11201249&partnerID=40&md5=0708b908bbd8249d40f2287ee5cdd546>. DOI: 10.1109/IUS62464.2025.11201249
- Birnbaum, K.; Mustin, B.; Sandner, T.; Grahmann, J.; Janschek, K. (2025): Modeling of a Quasi-Static 2D-MEMS Vector Scanner with a Hybrid-Integrated Moving Magnet Drive. In: IFAC-PapersOnLine (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105021837546&doi=10.1016%2Fj.ifacol.2025.10.157&partnerID=40&md5=9bd6bdf4b039d222aa60e7f33a43f720>. DOI: 10.1016/j.ifacol.2025.10.157
- Monsalve, J.M.; Jongmanns, M.; Koch, S.G.; Schenk, H. (2025): Flow measurement by means of wideband acoustic signals in single-mode waveguides. In: Journal of Sensors and Sensor Systems (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105022727534&doi=10.5194%2Fjsss-14-275-2025&partnerID=40&md5=61f7b1a28af9962354662d4737370436>. DOI: 10.5194/jsss-14-275-2025
- Jongmanns, M.; Kaiser, B.; Ruffert, C.; Langa, S. (2025): Design and characterization of a silicon MEMS microvalve for proportional flow control based on electrostatic bending actuators. In: Microsystem Technologies (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85192518992&doi=10.1007%2Fs00542-024-05684-1&partnerID=40&md5=81564b237348cc65c257172eb2e7ac26>. DOI: 10.1007/s00542-024-05684-1
- Wall, F.; Schenk, H.A.G.; Melnikov, A.; Kaiser, B. (2025): A scaling law approach to rate fabrication tolerances of double-sided electrostatic actuators. In: Nonlinear Dynamics (1). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85201384579&doi=10.1007%2Fs11071-024-10045-8&partnerID=40&md5=2432a2abca2d23e39951d57c5ddb4335>. DOI: 10.1007/s11071-024-10045-8
- Ammenwerth, M.; Timme, H.; Giardini, V.; Tao, R.; Gyger, F.; Lib, O.; Berndt, D.; Kourkoulos, D.; Rom, T.; Bloch, I.; Zeiher, J. (2025): Dynamical spatial light modulation in the ultraviolet spectral range. In: Physical Review Applied (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105022684082&doi=10.1103%2Fltnk-w67h&partnerID=40&md5=7d65bd4dabc7852bc77e563e5eae740b>. DOI: 10.1103/ltnk-w67h
- Gehner, A.; Rudloff, D.; Döring, S.; Neudert, A.; Mai, A.; Nitzsche, M.; Dürr, P. (2025): Integrated 512x320 micromirror array with novel lever-type piston-tip-tilt actuator. In: Proceedings of SPIE - The International Society for Optical Engineering (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105001924295&doi=10.1117%2F12.3042188&partnerID=40&md5=38c79784a3acb792e115bcf77fe1d181>. DOI: 10.1117/12.3042188

- Birnbaum, K.; Mustin, B.; Schneider, J.; Sandner, T. (2025): Towards the Modeling and Control of a Quasi-Static 2D-MEMS Vector Scanner with a Hybrid-Integrated Moving Magnet Drive. In: Proceedings of SPIE - The International Society for Optical Engineering (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105001924268&doi=10.1117%2F12.3042702&partnerID=40&md5=4cb6f960a8a82dde109b8b3df6d7122a>. DOI: 10.1117/12.3042702
- Langa, Sergiu; Wall, Franziska; Monsalve, Jorge; Stolz, Michael; Mrosk, Andreas; Schimmanz, Klaus (2025): Gestufte Finne für verbesserte poly-Si-Elektroden in MEMS-Anwendungen. In: (). Link: <https://publica.fraunhofer.de/entities/publication/17ce0786-a08e-4331-ba7b-3e12e1acf2eb>. DOI: 10.24406/publica-4760
- Melnikov, Anton; Kaiser, Bert; Wall, Franziska (2025): Linearisiertes MEMS-System und Ansteuerungsregime. In: (). Link: <https://publica.fraunhofer.de/entities/publication/a9ed8a78-e87a-4bc3-a9ba-a7016c5a94e1>. DOI: 10.24406/publica-6230
- Stolz, Michael; Kaiser, Bert (2025): Maßnahme gegen dielektrische Aufladung. In: (). Link: <https://publica.fraunhofer.de/entities/publication/42af09d1-4edd-47c0-90d7-443fdc3cfc59>. DOI: 10.24406/publica-6589
- Gail, J.; Kruse, F.; Gu-Stoppel, S.; Schmedemann, O.; Leder, G.; Reinert, W.; Wysocki, L.; Burmeister, N.; Ratzmann, L.; Giese, T.; Schütt, P.; Piechotta, G.; Schüppstuhl, T. (2025): Advancements in Aircraft Engine Inspection: A MEMS-Based 3D Measuring Borescope. In: Aerospace (1). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105006433494&doi=10.3390%2Faerospace12050419&partnerID=40&md5=84166cecd6daff607625bfd41dcd77bc>. DOI: 10.3390/aerospace12050419
- Raschdorf, P.; Hofen, C.V.; Voß, N.; Yarar, E.; Wille, G.; Lofink, F.; Gu-Stoppel, S. (2025): AIscN Based Piezoelectrically Driven Quasi-Static MEMS Scanners with Large Field of View and Selectable Regions of Interest. In: International Conference on Solid-State Sensors, Actuators and Microsystems, Transducers (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105030282330&doi=10.1109%2FTransducers61432.2025.11111047&partnerID=40&md5=511cb99580b940e47b5bdfd209c44d74>. DOI: 10.1109/Transducers61432.2025.11111047
- Gojdka, B.; Clausen, N.; Glenske, C.; Hille, P.; Becker, L.; Paul, J.; Ziegler, F.; Teja Bodduluri, M.; Lisec, T. (2025): AMR Sensor With Substrate-Integrated PowderMEMS Permanent Magnets for In-Plane Biasing. In: IEEE Sensors Journal (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105017017328&doi=10.1109%2FJSEN.2025.3609635&partnerID=40&md5=0c430f697d1cfd8bbda19cfed6b02207>. DOI: 10.1109/JSEN.2025.3609635
- Zhang, Y.; Quenzer, H.-J.; Jensen, B.; Zollondz, J.-H.; Muller-Groeling, A. (2025): Development of Crystallized Thick, Highly Doped A-Si:H Layers for Surface Micromachining of MEMS. In: International Conference on Solid-State Sensors, Actuators and Microsystems, Transducers (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105030290456&doi=10.1109%2FTransducers61432.2025.11110850&partnerID=40&md5=3da594bc4f7af19abf23a4eeb0923c59>. DOI: 10.1109/Transducers61432.2025.11110850
- Zhang, Y.; Quenzer, H.-J.; Jensen, B.; Muller-Groeling, A. (2025): Development of crystallized thick, highly doped a-Si:H layers for surface micromachining of MEMS inertial

sensors. In: Journal of Micromechanics and Microengineering (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105007503029&doi=10.1088%2F1361-6439%2Fadd943&partnerID=40&md5=b8d1f0a04f070f7ea2af0bb676859a36>. DOI: 10.1088/1361-6439/add943

- Stoppel, F.; Fankhänel, J.; Giese, T.; Eisermann, C.; Pieper, I.; Lofink, F. (2025): Highly miniaturized 115 dB full-range MEMS loudspeaker for in-ear applications. In: Sensors and Actuators A: Physical (9). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85218885691&doi=10.1016%2Fj.sna.2025.116373&partnerID=40&md5=e387ef5cf26e4c722e3fa602997033b4>. DOI: 10.1016/j.sna.2025.116373
- Raschdorf, P.; Leichtweiß, C.P.; Vogel, J.; Lekitsch, B.; Yarar, E.; Hilder, J.; Kähler, D.; Quenzer, H.-J.; Röhr, F.; Wille, G.; von Hofen, C.; Schmidt-Kaler, F.; Gu-Stoppel, S. (2025): MEMS scanners for integrating an optical cavity in a segmented ion trap for enhanced qubit readout. In: Proceedings of SPIE - The International Society for Optical Engineering (2). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105001919883&doi=10.1117%2F12.3043657&partnerID=40&md5=c34d34430254863e23be3de7e6657b43>. DOI: 10.1117/12.3043657
- Hwang, J.-Y.; Henschke, A.; Wysocki, L.; Raschdorf, P.; Ligges, M.; Kasischke, M.; Mensing, M.; Kapels, H.; Gu-Stoppel, S. (2025): Piezoelectric MEMS Mirror Based SPAD LiDAR System Enabling Real-Time Monitoring Across Large Covered Areas for Smart Factory Applications. In: Proceedings of SPIE - The International Society for Optical Engineering (1). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105001921659&doi=10.1117%2F12.3042925&partnerID=40&md5=2d61772e8da579f191f9aab73f1ba50d>. DOI: 10.1117/12.3042925
- Arbustini, J.; Elzenheimer, E.; Knappe-Grüneberg, S.; Gojdka, B.; Höft, M.; Rieger, R.; Bahr, A. (2025): Pilot SQUID Evaluation of a MEMS Cantilever Resonator With Monolithic PowderMEMS Magnets Used as a Miniaturized Oscillatory B-Field Marker. In: IEEE Sensors Letters (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105016625286&doi=10.1109%2FLESENS.2025.3612269&partnerID=40&md5=ed4ca75f39337f952bdbf235fb970978>. DOI: 10.1109/LESENS.2025.3612269
- Bähr, M.; Gojdka, B.; Lisec, T.; Clausen, N.; Bodduluri, M.T.; Zino, A.; Käßplinger, I.; Karolewski, D.; Meijer, J.; Ortlepp, T. (2025): PowderMEMS® magnets as enabler for miniaturized NV based quantum sensors and quantum processor architectures. In: Micro and Nano Engineering (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105013965830&doi=10.1016%2Fj.mne.2025.100316&partnerID=40&md5=8e5e3e2f7fca3238fe4e8e104702ccc3>. DOI: 10.1016/j.mne.2025.100316
- Schropp, A.; Wiljes, P.; Döhrmann, R.; Sow, C.; Garretoet, J.; Schroer, C.G.; Wysocki, L.; Gu-Stoppel, S. (2025): Scanning x-ray microscopy based on MEMS technology. In: Proceedings of SPIE - The International Society for Optical Engineering (0). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105024346467&doi=10.1117%2F12.3064505&partnerID=40&md5=59177daf02e3c00d005905d6e76ba3c3>. DOI: 10.1117/12.3064505
- Behrmann, O.; Kyoushi, N.; Bodduluri, M.T.; Lisec, T.; Schröder, S.; Gojdka, B. (2025): Wafer-level chip-scale packaging of MEMS environmental sensors by functionalized porous PowderMEMS® micro-filters. In: Journal of Micromechanics and Microengineering (1). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0->

85215372423&doi=10.1088%2F1361-6439%2Fada61e&partnerID=40&md5=564d6361666a2893a3903e418ccd1c90. DOI: 10.1088/1361-6439/ada61e

- Velea, A.I.; Pankus, R.; Szabo, B.; Oppelt, V.A.-L.; Holzapfel, L.; Karuthedath, C.B.; Sebastian, A.T.; Stieglitz, T.; Savoia, A.S.; Giagka, V. (2025): Effects of Soft Encapsulation on the Receive Performance of PMUTs for Implantable Devices. In: IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control (2). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-105011856090&doi=10.1109%2FTUFFC.2025.3592740&partnerID=40&md5=098588014b7deedb21241f1403631660>. DOI: 10.1109/TUFFC.2025.3592740