

Publications from the "MEMS Actuators" technology platform of the Research Fab Microelectronics Germany (2024)

- Anheuer, Daniel; Schwarz, Johannes; Debera, Patrick; Heinrich, Klaus; Kutter, Christoph; Richter, Martin (2024): Air Leakages at Microvalves: Pressure Decay Measurements and Extended Continuum Modelling of Knudsen Flows. In: Article (Micromachines). DOI:10.3390/mi15101263. Link: <https://publica.fraunhofer.de/entities/publication/0b0b4013-3269-433f-83d6-f0eca8beb0d6>
- Peller S.; Bierl R.; Hagelauer A. (2024): Designing Capacitive Micromachined Ultrasonic Transducer (CMUT) Based Sensors for Low Frequency Airborne Applications. In: Conference paper (Proceedings of IEEE Sensors). DOI:10.1109/SENSOR560989.2024.10785117. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85215279993&doi=10.1109%2fSENSOR560989.2024.10785117&partnerID=40&md5=0801cf8ff9382c25ad607d8ad0b758dd>
- Surendran N.; Durasiewicz C.P.; Hoffmann T.; Wille A.; Bussmann A.B.; Richter M. (2024): Microfluidic Delivery of High Viscosity Liquids Using Piezoelectric Micropumps for Subcutaneous Drug Infusion Applications. In: Article (IEEE Open Journal of Engineering in Medicine and Biology). DOI:10.1109/OJEMB.2024.3355692. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85182939622&doi=10.1109%2fOJEMB.2024.3355692&partnerID=40&md5=3e6feaba88004ce2af88bc58ff827f8c>
- Zett O.; Arteaga C.; Bußmann A.; Kibler S. (2024): Miniaturized Arbitrary Waveform Generator for Micropumps with Piezoelectric Actuators. In: Conference paper (GMM-Fachberichte). DOI: . Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85212223013&partnerID=40&md5=b1797ae354c57bd69192530cf2b4c223>
- Anheuer, Daniel; Debera, P.; Richter, Martin; Kutter, Christoph (2024): Pressure Decay Testbench for Air Leakage Characterization of Micropumps or Microvalves. In: Conference paper (5th Conference on MicroFluidic Handling Systems, MFHS 2024. Conference Proceedings). DOI:10.24406/publica-2980. Link: <https://publica.fraunhofer.de/entities/publication/237c3021-d970-442e-9430-d1e30b76a0dd>
- Plano D.; Kibler S.; Rudolph N.; Zett O.; Dressman J. (2024): Silicon-Based Piezo Micropumps Enable Fully Flexible Drug Delivery Patterns. In: Article (Journal of Pharmaceutical Sciences). DOI:10.1016/j.xphs.2024.01.003. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85184194372&doi=10.1016%2fj.xphs.2024.01.003&partnerID=40&md5=1debd146b7ef99206da308cca336fea9>
- Forke R.; Tsukamoto T.; Shaporin A.; Weidlich S.; Bulz D.; Hahn S.; Tanaka S.; Hiller K. (2024): Advancement in the Mems Gyroscope from a Vibrating Tuning Fork to a Tuned Ring with Comb Electrodes. In: Conference paper (INERTIAL 2024 - 11th IEEE International Symposium on Inertial Sensors and Systems, Proceedings). DOI:10.1109/INERTIAL60399.2024.10502098. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85191999638&doi=10.1109%2fINERTIAL60399.2024.10502098&partnerID=40&md5=d23a4d9286b10bc168bbaeea851aafdc>
- Behl C.; Behlert R.; Seiler J.; Helke C.; Shaporin A.; Hiller K. (2024): Characterization of Thin AlN/Ag/AlN-Reflector Stacks on Glass Substrates for MEMS Applications. In: Article (Micro). DOI:10.3390/micro4010010. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0->

Forschungsfabrik Mikroelektronik Deutschland – MEMS Aktoren
Publikationen aus der Technologieplattform »MEMS Aktoren« der Forschungsfabrik Mikroelektronik Deutschland (2024)

85194199950&doi=10.3390%2fmicro4010010&partnerID=40&md5=81df2a566cbf7f22030f895801e7940b

- Shaporin A.; Wecker J.; Runge J.; Voigt S.; Melzer M.; Kurth S.; Hiller K. (2024): High precision electrostatic MEMS actuators for in-plane Fabry-Pérot gas sensors. In: Conference paper (2024 25th International Conference on Thermal, Mechanical and Multi-Physics Simulation and Experiments in Microelectronics and Microsystems, EuroSimE 2024). DOI:10.1109/EuroSimE60745.2024.10491559. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85191192907&doi=10.1109%2fEuroSimE60745.2024.10491559&partnerID=40&md5=12503179cc42e5be25c596a8df5a8d24>
- Schroder D.; Wittemeier S.; Lisek T.; Gojdka B.; Hedayat C.; Kuhn H. (2024): High Precision Magnetic Field Measurement of Wafer-Level Integrated Micromagnets Using an Automated Near-Field Scanner. In: Conference paper (2024 Smart Systems Integration Conference and Exhibition, SSI 2024). DOI:10.1109/SSI63222.2024.10740519. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85211593903&doi=10.1109%2fSSI63222.2024.10740519&partnerID=40&md5=78cd606f99894c2da74e13f30157b920>
- Saeidi N.; Selvam K.; Vishwanatha M.; Wiemer M.; Kuhn H. (2024): High temperature liquid level monitoring using Capacitive Micromachined Ultrasound Transducer (CMUT). In: Conference paper (IEEE Ultrasonics, Ferroelectrics, and Frequency Control Joint Symposium, UFFC-JS 2024 - Proceedings). DOI:10.1109/UFFC-JS60046.2024.10794036. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85216442381&doi=10.1109%2fUFFC-JS60046.2024.10794036&partnerID=40&md5=60f649e84350e30ec62f3682cf581209>
- Stapf H.; Selbmann F.; Joseph Y.; Rahimi P. (2024): Membrane-Based NEMS/MEMS Biosensors. In: Review (ACS Applied Electronic Materials). DOI:10.1021/acsaelm.3c01732. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85189959202&doi=10.1021%2facsaelm.3c01732&partnerID=40&md5=20592c97a2217cf751bdca89f64e010d>
- Tsukamoto T.; Forke R.; Weidlich S.; Büzl D.; Shaporin A.; Hiller K.; Tanaka S. (2024): Mode Localization and Frequency Modulation Sensing Using Superposed in-Phase and Anti-Phase Oscillations. In: Conference paper (Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS)). DOI:10.1109/MEMS58180.2024.10439528. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85186738780&doi=10.1109%2fMEMS58180.2024.10439528&partnerID=40&md5=0b437c6b402a8915eed2b8d4a0a56f19>
- Stoeckel C.; Mulay S.; Meinel K.; Bankwitz J.; Seiler J.; Ullmann D.; Reuter D. (2024): Technology for Piezoelectric Micromachined Ultrasonic Transducers with Adaptive Channel Geometry and Chip Size. In: Conference paper (IEEE Ultrasonics, Ferroelectrics, and Frequency Control Joint Symposium, UFFC-JS 2024 - Proceedings). DOI:10.1109/UFFC-JS60046.2024.10793711. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85216468116&doi=10.1109%2fUFFC-JS60046.2024.10793711&partnerID=40&md5=1182d8dded17c5dac12197666f70f177>
- Vishwanatha M.; Selvam K.; Saeidi N.; Wiemer M.; Kuhn H. (2024): Underwater sensing applications using Capacitive Micromachined Ultrasonic Transducers (CMUTs). In: Conference paper (IEEE Ultrasonics, Ferroelectrics, and Frequency Control Joint Symposium, UFFC-JS 2024 - Proceedings). DOI:10.1109/UFFC-JS60046.2024.10793795. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85216498301&doi=10.1109%2fUFFC-JS60046.2024.10793795&partnerID=40&md5=decf1042d87444a91daa0b585923a3cf>
- Lavau L.C.; Suhrke M.; Knott P. (2024): Assessing IEMI Vulnerabilities in MEMS Barometers: A Comparative Approach. In: Conference paper (2024 14th International Workshop on the Electromagnetic Compatibility of Integrated Circuits, EMC Compo 2024).

Forschungsfabrik Mikroelektronik Deutschland – MEMS Aktoren
Publikationen aus der Technologieplattform »MEMS Aktoren« der Forschungsfabrik Mikroelektronik Deutschland (2024)

DOI:10.1109/EMCCompo61192.2024.10742028. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85211896914&doi=10.1109%2fEMCCompo61192.2024.10742028&partnerID=40&md5=5b74f9984be9813384a718dac664417d>

- Robotham T.; Rebmann D.; Fintineanu-Angehelescu D.O.; Raake A.; Habets E.A.P. (2024): CGI Scenes for Interactive Audio Research and Development: Cave, Cinema, and Mansion. In: Conference paper (2024 6th International Conference on Audio for Games). DOI: . Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85197225754&partnerID=40&md5=385e311ab6ead91b57abf3c9a085bf06>
- Hwang, Jeong-Yeon; Raschdorf, Paul; Henschke, Andre; Ligges, Manuel; Weyer, Sara; Gu-Stoppel, Shanshan (2024): Optical System Design and Characterization of MEMS Mirror-Based SPAD LiDAR System for Smart Factory Applications. In: Article (Proceedings. MDPI AG). DOI:10.3390/proceedings2024097112; 10.24406/publica-2863. Link: <https://publica.fraunhofer.de/entities/publication/b1f646e1-f89b-46db-b9b4-11c8a2934e5d>
- Neudert A.; Duerr P.; Nitzsche M. (2024): An FEM Study on Minimizing Electrostatic Cross-Talk in a Comb Drive Micro Mirror Array. In: Article (Micromachines). DOI:10.3390/mi15080942. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85202348596&doi=10.3390%2fmi15080942&partnerID=40&md5=94b3f5bdc5faa753b2a41190a1bca236>
- Melnikov A.; Schenk H.A.G.; Wall F. (2024): Analytical modeling of the harmonic distortion caused by squeeze film damping in MEMS-based acoustic transducers. In: Article (Vibrations in Physical Systems). DOI:10.21008/j.0860-6897.2024.1.06. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85194062340&doi=10.21008%2fj.0860-6897.2024.1.06&partnerID=40&md5=ed220364fbf9d814d1898e6870d1b352>
- Francés González S.; Nitzsche M.; Bajpai A.; Pranti A.S.; Neudert A.; Duerr P. (2024): Characterization of MEMS piston mirror arrays with comb drive actuator. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3000871. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85202352631&doi=10.1117%2f12.3000871&partnerID=40&md5=8a5e8002ad0da65dd3d73e8cb15796b0>
- Trittler T.; Recknagel A.L.; Walter S.; Schweiger S.; Kirchner R.; Köble S.; Kober J.; Hampe J.; Fettweis G.; Heuer H.; Herzog M. (2024): Characterization of Two-Photon Polymerization 3D Printing Materials for Acoustic Matching Layer and Lens Fabrication. In: Conference paper (IEEE Ultrasonics, Ferroelectrics, and Frequency Control Joint Symposium, UFFC-JS 2024 - Proceedings). DOI:10.1109/UFFC-JS60046.2024.10793571. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85216457374&doi=10.1109%2fUFFC-JS60046.2024.10793571&partnerID=40&md5=d9012ef9a68e9c33e1a3d67b58c3396e>
- Melnikov A.; Schenk H.; Wall F. (2024): COMPARISON OF HARMONIC BALANCE VS. TIME INTEGRATION FOR TIME-PERIODIC NONLINEAR SQUEEZE FILM DAMPING PROBLEMS. In: Conference paper (Proceedings of the International Congress on Sound and Vibration). DOI: . Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85205356247&partnerID=40&md5=42b19c5c8c698be2957cdb089145101>
- Dauderstädt U.; Dürr P.; Kunze D.; Francés González S.; Borrelli D.; Palombi L.; Raimondi V.; Wagner M. (2024): Considerations for a Micromirror Array Optimized for Compressive Sensing (VIS to MIR) in Space Applications. In: Article (Journal of Imaging). DOI:10.3390/jimaging10110282. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85210324042&doi=10.3390%2fjimaging10110282&partnerID=40&md5=9b665c80da62bd7087a6a964b118734a>

Publikationen aus der Technologieplattform »MEMS Aktoren« der Forschungsfabrik Mikroelektronik Deutschland (2024)

- Jongmanns M.; Kaiser B.; Ruffert C.; Langa S. (2024): Design and characterization of a silicon MEMS microvalve for proportional flow control based on electrostatic bending actuators. In: Article (Microsystem Technologies). DOI:10.1007/s00542-024-05684-1. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85192518992&doi=10.1007%2fs00542-024-05684-1&partnerID=40&md5=cb291a49c075c2330fdf68cd231b9c4b>
- Monsalve Guaracao J.M.; Langa S.; Stolz M.; Mrosk A.; Kaiser B.; Schenk H. (2024): Design of micromachines under uncertainty with the sample-average approximation method. In: Article (Journal of Advanced Mechanical Design, Systems and Manufacturing). DOI:10.1299/jamdsm.2024jamdsm0018. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85191319108&doi=10.1299%2fjamdsm.2024jamdsm0018&partnerID=40&md5=9432058642c2e5090de30d4df8674e94>
- Uhlig S.; Gaudet M.; Langa S.; Ruffert C.; Jongmanns M.; Schenk H. (2024): Highly integrable silicon micropumps using lateral electrostatic bending actuators. In: Article (Microsystem Technologies). DOI:10.1007/s00542-024-05635-w. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85190305060&doi=10.1007%2fs00542-024-05635-w&partnerID=40&md5=24b4a636822f1b007c2fad75d5c14727>
- Grüger H.; Knobbe J.; Pügner T. (2024): Improved scanning mirror micro spectrometer for material recognition in recycling applications. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3002165. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85212212252&doi=10.1117%2f12.3002165&partnerID=40&md5=4cba66beea615594cb250cc13141d3e9>
- Blasl M.; Namdari M.; Wagner M.; Grahmann J. (2024): Integrated photonic cryptographic key generator using low-power MEMS-on-PIC technology. In: Article (Journal of Optical Microsystems). DOI:10.1117/1.JOM.4.3.034001. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85206125376&doi=10.1117%2f1.JOM.4.3.034001&partnerID=40&md5=737b305a774cd0c4e20820728d8adef6>
- Blasl M.; Namdari M.; Wagner M.; Grahmann J. (2024): Integrated photonic cryptographic key generator using novel low-power MEMS-on-PIC technology. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3013066. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85200125192&doi=10.1117%2f12.3013066&partnerID=40&md5=0794ea3f4e6ede5f3285c0ff97a375e6>
- Beena N.A.; Lorenz L.; Ludewig T.; Swiecinski K.; Bock V. (2024): Low Temperature Adhesive Die Bonding for Sensitive MEMS Dies. In: Conference paper (Proceedings of the International Spring Seminar on Electronics Technology). DOI:10.1109/ISSE61612.2024.10603986. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85200512486&doi=10.1109%2fISSE61612.2024.10603986&partnerID=40&md5=fb603b03bd4ca78b2959c0d28f9dff5a>
- Blasl M.; Namdari M.; Wagner M.; Grahmann J. (2024): MEMS on PIC: a cross-platform approach to combine ultra-low-power MEMS-modulators with photonic integrated circuit. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3013649. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85191493586&doi=10.1117%2f12.3013649&partnerID=40&md5=36a3a55b78d0fccb7107e64e1b4bb905>
- Döring S.; Recknagel P.A.; Hohle C.; Dürr P. (2024): MEMS-on-CMOS integration of a holographic 8M-Pixel SLM device using KrF-Lithography. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3010154. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0->

Forschungsfabrik Mikroelektronik Deutschland – MEMS Aktoren
Publikationen aus der Technologieplattform »MEMS Aktoren« der Forschungsfabrik Mikroelektronik Deutschland (2024)

85193046566&doi=10.1117%2f12.3010154&partnerID=40&md5=6f99503fff1bbd9732d0c1bd10f33368

- Leister N.; Wagner T.; Schuster T.; Teich M.; Zozgornik S.; Stolle H.; Francés González S.; Duerr P. (2024): Novel reflective SLM in real holographic 3D HUD displays and their impact on quality. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3001348. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85191452945&doi=10.1117%2f12.3001348&partnerID=40&md5=c1a31206493c726b00cbc54d339e69ae>
- Namdari M.; Blasl M.; Grasshoff T.; Wagner M.; Grahmann J. (2024): Phase Shifter for Silicon Nitride Photonics using MEMS-Enabled Movable Cladding. In: Conference paper (IEEE International Conference on Group IV Photonics GFP). DOI:10.1109/SiPhotonics60897.2024.10544104. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85191432890&doi=10.1109%2fSiPhotonics60897.2024.10544104&partnerID=40&md5=fcec70fd857fc93c3d02b729a4a5dfc4>
- Monsalve J.M.; Völz U.; Jongmanns M.; Betz B.; Langa S.; Ruffert C.; Amelung J.; Wiersig M. (2024): Rapid characterisation of mixtures of hydrogen and natural gas by means of ultrasonic time-delay estimation. In: Article (Journal of Sensors and Sensor Systems). DOI:10.5194/jsss-13-179-2024. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85198575342&doi=10.5194%2fjsss-13-179-2024&partnerID=40&md5=49a18a8bd4042016bce7f3a66f22bf1d>
- Melnikov A.; Köble S.; Schweiger S.; Marburg S.; Powell D.A. (2024): Shape optimized acoustic metagratings for anomalous refraction under strong thermoviscous effects. In: Article (Scientific Reports). DOI:10.1038/s41598-024-76240-0. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85208476582&doi=10.1038%2fs41598-024-76240-0&partnerID=40&md5=5c6e22cfc0fae1d7050e5e3ea29a5fe7>
- Sandner T.; Graßhoff T.; Schwarzenberg M.; Birnbaum K.; Pügner T.; Grahmann J. (2024): Vectorial Micro Scanning Mirror for Fast Beam Positioning of a Compact Medical Therapy Laser. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3007365. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85212224726&doi=10.1117%2f12.3007365&partnerID=40&md5=42abb43d31ace88398a41cc096c04614>
- Dankwort T.; Ahmed M.; Clausen N.; Gojdka B. (2024): Advancing Piezoelectric MEMS Energy Harvesting: Design-Independent Resonance Frequency Tuning and Magnetic Interaction. In: Conference paper (GMM-Fachberichte). DOI:. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85202887855&partnerID=40&md5=a79eeb590d00fce8ba201805dc70afef>
- Wysocki L.; Hwang J.-Y.; Schütt P.; Raschdorf P.; Yasar E.; Wille G.; Gu-Stoppel S. (2024): Biaxial resonant MEMS mirrors with large field of view for LiDAR systems. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.3002711. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85212216581&doi=10.1117%2f12.3002711&partnerID=40&md5=c9dded5fdd143e1a85a21408ebe3a1f5>
- Rautmann L.L.; Ahmed M.; Dankwort T.; Kosleck S.; Gojdka B. (2024): Experimental Assessment of Miniature Wave-Energy-Converter Performance: Output Analysis in Simulated Wave Conditions. In: Conference paper (Oceans Conference Record (IEEE)). DOI:10.1109/OCEANS51537.2024.10682257. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85206469028&doi=10.1109%2fOCEANS51537.2024.10682257&partnerID=40&md5=e4db49f86270e80a1bad91cb6dc6a49e>

Publikationen aus der Technologieplattform »MEMS Aktoren« der Forschungsfabrik Mikroelektronik Deutschland (2024)

- Schroder D.; Wittemeier S.; Lisec T.; Gojdka B.; Hedayat C.; Kuhn H. (2024): High Precision Magnetic Field Measurement of Wafer-Level Integrated Micromagnets Using an Automated Near-Field Scanner. In: Conference paper (2024 Smart Systems Integration Conference and Exhibition, SSI 2024). DOI:10.1109/SSI63222.2024.10740519. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85211593903&doi=10.1109%2fSSI63222.2024.10740519&partnerID=40&md5=78cd606f99894c2da74e13f30157b920>
- Hwang J.-Y.; Yasar E.; Wysocki L.; Röhr F.; Wille G.; Gu-Stoppel S. (2024): Low-Power Multi-Scan Patterns Capable 3D-Constructed Piezoelectric MEMS Mirrors. In: Conference paper (Proceedings of SPIE - The International Society for Optical Engineering). DOI:10.1117/12.2692907. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85191641231&doi=10.1117%2f12.2692907&partnerID=40&md5=83e8861c83a768759256243e460ab801>
- Hickisch P.; Lisec T.; Hohlfeld D.; Clausen N. (2024): Novel MEMS in-plane energy harvesting concept. In: Conference paper (GMM-Fachberichte). DOI:. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85202839834&partnerID=40&md5=deb67ad5ac923b5218d5944ba3ee6a01>
- Hwang, Jeong-Yeon; Raschdorf, Paul; Henschke, Andre; Ligges, Manuel; Weyer, Sara; Gu-Stoppel, Shanshan (2024): Optical System Design and Characterization of MEMS Mirror-Based SPAD LiDAR System for Smart Factory Applications. In: Article (Proceedings. MDPI AG). DOI:10.3390/proceedings2024097112; 10.24406/publica-2863. Link: <https://publica.fraunhofer.de/entities/publication/b1f646e1-f89b-46db-b9b4-11c8a2934e5d>