



**Forschungsfabrik
Mikroelektronik**
Deutschland



**Technology Platform
"Extended CMOS"**

Publications from the Technology Platform "Extended CMOS" of the Research Fab Microelectronics Germany (2019)

- Ahopelto, J. et al. (2019): NanoElectronics roadmap for Europe: From nanodevices and innovative materials to system integration. In: Solid-State Electronics (Article). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069952270&partnerID=40&md5=449d21fd4288878897dae33dda57f29c>
- Akhtar, F. et al. (2019): Large-scale chemical vapor deposition of graphene on polycrystalline nickel films: Effect of annealing conditions. In: Thin Solid Films (Article). DOI: 10.1016/j.mee.2018.11.006. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85057468886&doi=10.1016%2fj.mee.2018.11.006&partnerID=40&md5=8d7c54288018f69efc65736e7517d54a>
- Allerbeck, J. et al. (2019): Ultrafast carrier recombination in highly n-doped Ge-on-Si films. In: Applied Physics Letters (Article). DOI:10.1109/TRANSDUCERS.2019.8808418. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071922589&doi=10.1109%2fTRANSDUCERS.2019.8808418&partnerID=40&md5=f915e0f69059702dd228908b254317dd>
- Altmannshofer, S. (2019): Mikrowellenplasmaunterstützte Prozesse für Anwendungen in der Halbleitertechnologie. (Dissertation). DOI:10.1109/ISSCC.2019.8662424. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85063529509&doi=10.1109%2fISSCC.2019.8662424&partnerID=40&md5=4a4bde130f5f7692c882ff10131eb599>
- Andjelkovic, M. et al. (2019): Characterization and Modeling of SET Generation Effects in CMOS Standard Logic Cells. In: 2019 IEEE 25th International Symposium on On-Line Testing and Robust System Design, IOLTS 2019 (Conference Paper). DOI:10.1109/LMWC.2019.2906595. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85065605034&doi=10.1109%2fLMWC.2019.2906595&partnerID=40&md5=c262039e28ba7880da99b5059907a2cc>
- Andjelkovic, M. et al. (2019): Use of Decoupling Cells for Mitigation of SET Effects in CMOS Combinational Gates. In: 2018 25th IEEE International Conference on Electronics Circuits and Systems, ICECS 2018 (Conference Paper).

- Atia, T.A. et al. (2019): Closed-loop hydrometallurgical treatment of end-of-life lithium ion batteries: Towards zero-waste process and metal recycling in advanced batteries. In: Journal of Energy Chemistry (Article). DOI:10.1109/TRANSDUCERS.2019.8808624. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071920798&doi=10.1109%2fTRANSDUCERS.2019.8808624&partnerID=40&md5=91836939729b9f28ded8410111952a26>
- Auersperg, J. et al. (2019): BEoL cracking risks due to manufacturing introduced residual stresses. In: 2019 20th International Conference on Thermal, Mechanical and Multi-Physics Simulation and Experiments in Microelectronics and Microsystems, EuroSimE 2019 (Conference Paper). DOI:10.1109/TCSII.2019.2921199. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072779824&doi=10.1109%2fTCSII.2019.2921199&partnerID=40&md5=c792aa4a43f9a6ed93d8dac2ab8f8711>
- Baristiran-Kaynak, C. et al. (2019): Development and Mechanical Modeling of Si1-XGeX/Si MQW Based Uncooled Microbolometers in a 130 nm BiCMOS. In: 2019 IEEE 19th Topical Meeting on Silicon Monolithic Integrated Circuits in RF Systems, SiRF 2019 (Conference Paper). DOI:10.23919/MIXDES.2019.8787079. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071337778&doi=10.23919%2fMIXDES.2019.8787079&partnerID=40&md5=4b1dd0c41f7629d35aaa92f8786c9b4f>
- Barwolf, F. et al. (2019): Dynamic SIMS, spectroscopic ellipsometry and x-ray diffractometry analysis of SiGe HBTs with Ge grading. In: Semiconductor Science and Technology (Article). DOI:10.1109/TNANO.2019.2922838. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068617065&doi=10.1109%2fTNANO.2019.2922838&partnerID=40&md5=e02452d02889a02bb463fde40f9b6658>
- Becker, A. et al. (2019): Control of etch pit formation for epitaxial growth of graphene on germanium. In: Journal of Applied Physics (Article). DOI:10.1088/1748-0221/14/07/P07013. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072210896&doi=10.1088%2f1748-0221%2f14%2f07%2fP07013&partnerID=40&md5=eb77f97eebdf3b375e989e79b3916c3f>
- Beier, M. et al. (2019): Silicon waste from the photovoltaic industry – A material source for the next generation battery technology?. In: Materials Science Forum (Conference Paper). DOI:10.1109/MMS.2018.8612017. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061832246&doi=10.1109%2fMMS.2018.8612017&partnerID=40&md5=00bc0902d3960450f2ab8145e4389dc8>
- Bette, S. et al. (2019): Infrared-laser based characterization of the pyroelectricity in AlScN thin-films. In: Thin Solid Films (Article). DOI:10.1109/JEDS.2019.2891516. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060316286&doi=10.1109%2fJEDS.2019.2891516&partnerID=40&md5=3da9c4e70d9de9eea3bf07cca7eee57f>

- Beyreuther, A. et al. (2019): Contactless parametric characterization of bandgap engineering in p-type FinFETs using spectral photon emission. In: Microelectronics Reliability (Article). DOI:10.1103/PhysRevApplied.11.064046. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068910654&doi=10.1103%2fPhysRevApplied.11.064046&partnerID=40&md5=3b68640762871b20317fdef47cda4d5e>
- Caliskan, C. et al. (2019): Ultra-Low Noise Amplifier for X-Band SiGe BiCMOS Phased Array Applications. In: IEEE Transactions on Circuits and Systems II: Express Briefs (Article). DOI:10.1117/12.2530143. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074608534&doi=10.1117%2f12.2530143&partnerID=40&md5=3687ef1ce307c8d964c4a813dbc30c65>
- Cao, Z. et al. (2019): Finite-element modelling of stress induced wafer warpage for a full BiCMOS process. In: 2019 IEEE 19th Topical Meeting on Silicon Monolithic Integrated Circuits in RF Systems, SiRF 2019 (Conference Paper). DOI:10.1063/1.5084945. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85063038541&doi=10.1063%2f1.5084945&partnerID=40&md5=2f5c72f9b91b8d48cd5d4efdd0277aae>
- Chen, J. et al. (2019): Design of SRAM-Based Low-Cost SEU Monitor for Self-Adaptive Multiprocessing Systems. In: Proceedings - Euromicro Conference on Digital System Design, DSD 2019 (Conference Paper). DOI: 10.1016/j.commsci.2019.05.012. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85070532970&doi=10.1016%2fj.commsci.2019.05.012&partnerID=40&md5=75f2e03dd4d7ec0fdb6138470a54e653>
- Ciano, C. et al. (2019): Control of Electron-State Coupling in Asymmetric Ge/Si-Ge Quantum Wells. In: Physical Review Applied (Article). DOI:10.23919/GEMIC.2019.8698128. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85065521704&doi=10.23919%2fGEMIC.2019.8698128&partnerID=40&md5=7dfa13a767161196cccdf6448c9886af>
- Couret, M. et al. (2019): Physical, small-signal and pulsed thermal impedance characterization of multi-finger SiGe HBTs close to the SOA edges. In: IEEE International Conference on Microelectronic Test Structures (Conference Paper). DOI: 10.1016/j.mee.2019.05.004. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85065904025&doi=10.1016%2fj.mee.2019.05.004&partnerID=40&md5=ca25a2185893ad66909844bae24d1594>
- Dalecki, J. et al. (2019): A Low Power, Low Chip Area, Two-stage Current-mode DAC Implemented in CMOS 130 nm Technology. In: Proceedings of the 26th International Conference Mixed Design of Integrated Circuits and Systems (Conference Paper). DOI: 10.1016/j.apsusc.2019.04.114. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064258752&doi=10.1016%2fj.apsusc.2019.04.114&partnerID=40&md5=f97216da2f045342f3e3e7c8bc9ccc1c>

- Dittmar, N. (2019): Developing a process to remove single silicon layers by atomic layer etching. In: MikroSystemTechnik Kongress 2019 (Conference Paper). DOI:10.1063/1.5087952. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062873416&doi=10.1063%2f1.5087952&partnerID=40&md5=7089773611d25140f2e4d4478caed257>
- Du, N. et al. (2019): Electroforming-free memristors for Hardware Security Primitives. In: 2019 IEEE 4th International Verification and Security Workshop, IVSW 2019 (Conference Paper). DOI:10.1109/NANO.2018.8626235. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062281497&doi=10.1109%2fNANO.2018.8626235&partnerID=40&md5=b49d0fa68906ba274a16d1a376035ab5>
- Dudek, R. et al. (2019): Coupled electro-thermo-mechanical analyses on power cycling induced loadings in sintered silver IGBT-modules with and without overmolding. In: CIPS 2016 - 9th International Conference on Integrated Power Electronics Systems (Conference Paper). DOI:10.1109/EuroSimE.2019.8724589. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067419708&doi=10.1109%2fEuroSimE.2019.8724589&partnerID=40&md5=599027dd3f8b9c4db7d5469696ba68ca>
- Eissa, M.H. et al. (2019): 4.5 A 13.5dBm Fully Integrated 200-to-255GHz Power Amplifier with a 4-Way Power Combiner in SiGe:C BiCMOS. In: Digest of Technical Papers - IEEE International Solid-State Circuits Conference (Conference Paper).
- Elger, G. et al. (2019): Performance of improved SAC solders under high thermo-mechanical stress condition. In: ECWC 2014 - 13th Electronic Circuits World Convention: Connecting the World (Conference Paper). DOI:10.1002/pssa.201700680. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85040242716&doi=10.1002%2fpssa.201700680&partnerID=40&md5=5307d6d90baf9242366064ae1cb4ffbba>
- Ettehad, H.M. et al. (2019): Towards CMOS integrated microfluidics using dielectrophoretic immobilization. In: Biosensors (Article). DOI:10.1109/IOLTS.2019.8854379. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073723035&doi=10.1109%2fIOLTS.2019.8854379&partnerID=40&md5=a2013edc97e8409ad2b06dc3dd802185>
- Fichtner, S. et al. (2019): AlScN: A III-V semiconductor based ferroelectric. In: Journal of Applied Physics (Article). DOI: 10.1016/j.sse.2019.03.054. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85063648435&doi=10.1016%2fj.sse.2019.03.054&partnerID=40&md5=b3b257f999e6ba78f7c243ca1d66abe6>
- Fichtner, S. et al. (2019): A Generic CMOS Compatible Piezoelectric Multilayer Actuator Approach Based on Permanent Ferroelectric Polarization Inversion in Al_{1-x}Sc_xN. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors XXXIII, TRANSDUCERS 2019 and EUROSENSORS XXXIII (Conference Paper). DOI:10.1109/MMS.2018.8612121. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061820580&doi=10.1109%2fMMS.2018.8612121&partnerID=40&md5=a4fd9b8d1b3209d9c37225121f246ad9>

- Fuchs, F. et al. (2019): Electron transport through NiSi₂-Si contacts and their role in reconfigurable field-effect transistors. In: Journal of Physics Condensed Matter (Article). DOI: 10.1016/j.jechem.2019.03.022. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85063893379&doi=10.1016%2fj.jechem.2019.03.022&partnerID=40&md5=8a3f77ff0dcff21c7f17f349c567a152>
- Fuchs, F. et al. (2019): Radially resolved electronic structure and charge carrier transport in silicon nanowires. In: Physica E: Low-Dimensional Systems and Nanostructures (Article). DOI:10.1109/JLT.2018.2881107. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85056742152&doi=10.1109%2fJLT.2018.2881107&partnerID=40&md5=31af87c204dc1a1bb83a5c09ea1838c6>
- Fursenko, O. et al. (2019): Diagnostic of graphene on Ge(100)/Si(100) in a 200 mm wafer Si technology environment by spectroscopic ellipsometry/reflectometry. In: Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics (Article). DOI:10.1116/1.5079628. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060850362&doi=10.1116%2f1.5079628&partnerID=40&md5=6b28c6e68de1ca2b5c496f0677ec8ac2>
- Gudyriev, S. et al. (2019): Coherent ePIC Receiver for 64 GBaud QPSK in 0.25 μm Photonic BiCMOS Technology. In: Journal of Lightwave Technology (Article). DOI: 10.1016/j.ssi.2019.01.026. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060763303&doi=10.1016%2fj.ssi.2019.01.026&partnerID=40&md5=335f270d1dda98f8b7e94ffeb0eb0103>
- Gungor, B. et al. (2019): 0.13 μm SiGe BiCMOS W-Band Low-Noise Amplifier for Passive Imaging Systems. In: Mediterranean Microwave Symposium (Conference Paper). DOI: 10.1016/j.microrel.2018.11.008. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85057740798&doi=10.1016%2fj.microrel.2018.11.008&partnerID=40&md5=b6f0de1f696b851353469b3c6cb2a5fc>
- Gwozdz, K. et al. (2019): Separation of Individual Thermal Double-Donor Levels by Laplace Deep-Level Transient Spectroscopy. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1103/PhysRevApplied.11.014003. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85059845201&doi=10.1103%2fPhysRevApplied.11.014003&partnerID=40&md5=5b3e090c4a6085781188de5c663542cb>
- Hafez, N. et al. (2019): Characterisation of MOS Transistors as an Electromechanical Transducer for Stress. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1063/1.5108774. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071605550&doi=10.1063%2f1.5108774&partnerID=40&md5=075ba789b8f7960b20de50b9d459e3a1>
- Hanrahan, B. et al. (2019): Pyroelectric Energy Conversion in Doped Hafnium Oxide (HfO₂) Thin Films on Area-Enhanced Substrates. In: Energy Technology (Article). DOI:10.1039/c9tc90222h. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074409570&doi=10.1039%2fc9tc90222h&partnerID=40&md5=88b5bbc7e5666b5102161785f756feac>

- Heredia, J. et al. (2019): A 125-143-GHz Frequency-Reconfigurable BiCMOS Compact LNA Using a Single RF-MEMS Switch. In: IEEE Microwave and Wireless Components Letters (Article). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073335745&partnerID=40&md5=93b29ce856777f122ec3d93d3c1f6dc6>
- Heredia, J. et al. (2019): Miniature switchable millimeter-wave BiCMOS low-noise amplifier at 120/140 GHz using an HBT switch. In: Micromachines (Article). DOI:10.1116/1.5054983. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85059570847&doi=10.1116%2f1.5054983&partnerID=40&md5=037ee112828121bb2172abf66802458b>
- Herzel, F. et al. (2019): An Integrated VCO with Frequency Tripler in SiGe BiCMOS with a 1-dB Bandwidth from 22 GHz to 32 GHz for Multiband 5G Wireless Networks. In: GeMiC 2019 - 2019 German Microwave Conference (Conference Paper). DOI:10.1002/pssa.201900310. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068701050&doi=10.1002%2fpssa.201900310&partnerID=40&md5=ed6aeaf0143e258e7a2fda36e1fa85ec>
- Hoffmann, M.A. (2019): Spectroscopic ellipsometry and magneto-optical Kerr effect spectroscopy study of thermally treated Co60Fe20B20 thin films. In: Journal of Physics. Condensed Matter (Article). DOI:10.1063/1.5093167. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067579321&doi=10.1063%2f1.5093167&partnerID=40&md5=d3182920281b7e03a5aeda70c5c52a95>
- Kalkofen, B. et al. (2019): Atomic layer deposition of phosphorus oxide films as solid sources for doping of semiconductor structures. In: Proceedings of the IEEE Conference on Nanotechnology (Conference Paper).
- Kandis, H. et al. (2019): A Wideband (3-13 GHz) 7-Bit SiGe BiCMOS Step Attenuator with Improved Flatness. In: Mediterranean Microwave Symposium (Conference Paper). DOI:10.1109/DSD.2019.00080. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074909216&doi=10.1109%2fDSD.2019.00080&partnerID=40&md5=17a532e7de3f16b4556501ae145ce29e>
- Khan, M.B. et al. (2019): Towards reconfigurable electronics: Silicidation of top-down fabricated silicon nanowires. In: Applied Sciences (Switzerland) (Article).
- Kia, A.M. et al. (2019): ToF-SIMS 3d analysis of thin films deposited in high aspect ratio structures via atomic layer deposition and chemical vapor deposition. In: Nanomaterials (Article). DOI:10.1109/SIRF.2019.8709124. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066045619&doi=10.1109%2fSIRF.2019.8709124&partnerID=40&md5=e6105c69cc4fc9e02664d22d85d39d8d>
- Kia, A.M. et al. (2019): Development of Rutile Titanium Oxide Thin Films as Battery Material Component Using Atomic Layer Deposition. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1002/pssa.201800769. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071023480&doi=10.1002%2fpssa.201800769&partnerID=40&md5=1ebd0d2d02a564032a74492fff0172e5>

- Killge, S. et al. (2019): 3D system integration on 300 mm wafer level: High-aspect-ratio TSVs with ruthenium seed layer by thermal ALD and subsequent copper electroplating. In: Microelectronic Engineering (Article). DOI:10.1116/1.5122792. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075328725&doi=10.1116%2f1.5122792&partnerID=40&md5=2c26e8620978ac6e0932bb7a9db6c5a6>
- Kissinger, G. et al. (2019): On the impact of strained PECVD nitride layers on oxide precipitate nucleation in silicon. In: ECS Journal of Solid State Science and Technology (Article). DOI:10.1088/1361-6641/aaf3e2. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85059166177&doi=10.1088%2f1361-6641%2faaf3e2&partnerID=40&md5=a41d219ec1c597172e807d6b8a510656>
- Kittler, M. et al. (2019): Transport of Charge Carriers along Dislocations in Si and Ge. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1103/PhysRevB.100.085307. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072578813&doi=10.1103%2fPhysRevB.100.085307&partnerID=40&md5=1794530758498fbf13ba709bdd338818>
- Kock, A. et al. (2019): 3D-Integrated Multi-Sensor Demonstrator System for Environmental Monitoring. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors XXXIII, TRANSDUCERS 2019 and EUROSENSORS XXXIII (Conference Paper). DOI:10.3390/mi10050290. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073688587&doi=10.3390%2fmi10050290&partnerID=40&md5=0f4fb00191a986071e4ea0a6029f8ca1>
- Kodalle, T. et al. (2019): Glow discharge optical emission spectrometry for quantitative depth profiling of CIGS thin-films. In: Journal of Analytical Atomic Spectrometry (Article). DOI: 10.1016/j.apsusc.2019.04.247. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85065813381&doi=10.1016%2fj.apsusc.2019.04.247&partnerID=40&md5=605d537f0602ed342b0a901de56bc0f4>
- Kolkovsky, V. (2019): Defects in Oxidized p-Type Si Wafers Observed by Surface Photovoltage Spectroscopy. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI: 10.1016/j.tsf.2018.10.033. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85056165693&doi=10.1016%2fj.tsf.2018.10.033&partnerID=40&md5=ce869435fb18fe907d71f5e3f85a561d>
- Kolkovsky, V. et al. (2019): Platinum–Copper Defects in Silicon. In: Physica Status Solidi (A) Applications and Materials Science (Article).
- Kolkovsky, V. et al. (2019): Electrical and structural properties of direct current magnetron sputtered amorphous TiAl thin films. In: Thin Solid Films (Article). DOI:10.1109/IVSW.2019.8854394. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074188142&doi=10.1109%2fIVSW.2019.8854394&partnerID=40&md5=dbafe6d3502fe9c0402ea3624a2ecea8>

- König, M. et al. (2019): Accurate Graphene-Metal Junction Characterization. In: IEEE Journal of the Electron Devices Society (Article). DOI:10.1088/1361-648X/ab2310. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069889762&doi=10.1088%2f1361-648X%2fab2310&partnerID=40&md5=9cc716b6f4696fa39c91ab909e44a4ce>
- Kot, M. et al. (2019): Comparison of plasma-enhanced atomic layer deposition AlN films prepared with different plasma sources. In: Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films (Article). DOI: 10.1016/j.sse.2019.03.013. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062672176&doi=10.1016%2fj.sse.2019.03.013&partnerID=40&md5=d74c5a7ce3ea971976827b34b0408cd5>
- Kühnel, K. et al. (2019): High-density energy storage in Si-doped hafnium oxide thin films on area-enhanced substrates. In: Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics (Article). DOI: 10.1016/j.jmmm.2019.165390. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067251962&doi=10.1016%2fj.jmmm.2019.165390&partnerID=40&md5=85d3e1d3bd70fed9b734f5fcd5597682>
- Kuznetsova, V.S. et al. (2019): Structure and Thermoelectric Properties of CoSi-Based Film Composites. In: Semiconductors (Article). DOI:10.1109/SIRF.2019.8709125. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066037447&doi=10.1109%2fSIRF.2019.8709125&partnerID=40&md5=d677020f74221f70d0d9483c4e42214c>
- Lammert, V. et al. (2019): A K-Band Complex Permittivity Sensor for Biomedical Applications in 130-nm SiGe BiCMOS. In: IEEE Transactions on Circuits and Systems II: Express Briefs (Article). DOI:10.1039/c9ja00075e. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066921168&doi=10.1039%2fc9ja00075e&partnerID=40&md5=bde1b5c39143020c5e778c40757ee5a0>
- Liang, J. et al. (2019): Investigation of Pt-Salt-Doped-Standalone-Multiwall Carbon Nanotubes for On-Chip Interconnect Applications. In: IEEE Transactions on Electron Devices (Article). DOI:10.3390/nano9050659. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066938513&doi=10.3390%2fnano9050659&partnerID=40&md5=504c2730ef55d50f30024c877c71c21b>
- Lippmann, B. et al. (2019): Integrated flow for reverse engineering of nanoscale technologies. In: Proceedings of the Asia and South Pacific Design Automation Conference, ASP-DAC (Conference Paper).
- Lischke, S. et al. (2019): Advanced photonic BiCMOS technology with high-performance Ge photo detectors. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1039/c9ra04795f. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072570496&doi=10.1039%2fc9ra04795f&partnerID=40&md5=26ed261170c7eeabe14ad96208ebf4bf>

- Lisker, M. et al. (2019): Processing and integration of graphene in a 200 mm wafer Si technology environment. In: Microelectronic Engineering (Article). DOI:10.1116/1.5060738. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061232447&doi=10.1116%2f1.5060738&partnerID=40&md5=6be98aa4a63e33590ddf83b187c050cf>
- Liu, Y. et al. (2019): Understanding temperature impact on filament-related HfO₂ solid-state incandescent lighting emission devices and performance enhancement using patterned wafer approaches. In: IEEE Electron Device Letters (Article). DOI:10.1109/ECTC.2019.00227. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072290108&doi=10.1109%2fECTC.2019.00227&partnerID=40&md5=a34ac6be0e7119aa72f228239ee9c72d>
- Lodari, M. et al. (2019): Light effective hole mass in undoped Ge/SiGe quantum wells. In: Physical Review B (Article).
- Luongo, G. et al. (2019): Graphene schottky junction on pillar patterned silicon substrate. In: Nanomaterials (Article). DOI: 10.1016/j.tsf.2019.137623. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073961854&doi=10.1016%2fj.tsf.2019.137623&partnerID=40&md5=8ff682cf6b59f824acbd5e3f5c85e907>
- Lux, H. et al. (2019): The role of substrate temperature and magnetic filtering for DLC by cathodic arc evaporation. In: Coatings (Article). DOI:10.1109/LED.2019.2900867. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064092221&doi=10.1109%2fLED.2019.2900867&partnerID=40&md5=4f9aa910164a3e4f4234218ddaf6b33f>
- Lv, H. et al. (2019): Assessment of conduction mechanisms through MgO ultrathin barriers in CoFeB/MgO/CoFeB perpendicular magnetic tunnel junctions. In: Applied Physics Letters (Article). DOI:10.1145/3287624.3288738. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061112823&doi=10.1145%2f3287624.3288738&partnerID=40&md5=d27e05aa7313630ed1dbba082b9e47d4>
- Lv, H. et al. (2019): The annealing effect on memory state stability and interlayer coupling in perpendicular magnetic tunnel junctions with ultrathin MgO barrier. In: Journal of Magnetism and Magnetic Materials (Article). DOI:10.1039/c9tc04880d. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073733812&doi=10.1039%2fc9tc04880d&partnerID=40&md5=f385ead4d46586f268f4822c2f0ff032>
- Mahadevaiah, M.K. et al. (2019): Reliability of CMOS Integrated Memristive HfO₂ Arrays with Respect to Neuromorphic Computing. In: IEEE International Reliability Physics Symposium Proceedings (Conference Paper). DOI:10.1109/TED.2019.2901658. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064984855&doi=10.1109%2fTED.2019.2901658&partnerID=40&md5=045d0ccc5547e3602b41a164d2b3e5b1>

- Mart, C. (2019): Electrocaloric temperature change in ferroelectric Si-doped hafnium oxide (HfO₂) thin films. In: European Materials Research Society (E-MRS Spring Meeting) <37, 2019, Nizza> |n 51578 (Presentation). DOI: 10.1016/j.tsf.2019.137565. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072168103&doi=10.1016%2ftsf.2019.137565&partnerID=40&md5=95a45caf5f9305d4a807bd2df26954fd>
- Meyers, T. (2019): Improved organic thin-film transistor performance by dielectric layer patterning. In: Fifth Conference on Sensors, MEMS, and Electro-Optic Systems 2018 (Conference Paper). DOI:10.1103/PhysRevB.100.041304. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85070209247&doi=10.1103%2fPhysRevB.100.041304&partnerID=40&md5=9822f76da6c1d6c3442e8660063f56d1>
- Milo, V. et al. (2019): Multilevel HfO₂-based RRAM devices for low-power neuromorphic networks. In: APL Materials (Article). DOI:10.1109/ESSDERC.2019.8901818. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075747930&doi=10.1109%2fESSDERC.2019.8901818&partnerID=40&md5=dece8cbf1b6f6ad1c7fb45a3d5da3c8b>
- Milo, V. et al. (2019): Low-energy inference machine with multilevel HfO₂ RRAM arrays. In: European Solid-State Device Research Conference (Conference Paper). DOI:10.1109/TMAG.2018.2873428. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85055198267&doi=10.1109%2fTMAG.2018.2873428&partnerID=40&md5=ed6000e3fb572d84915e32a0b22596c2>
- Müller, T. et al. (2019): Near-Surface Defect Control by Vacancy Injecting/Out-Diffusing Rapid Thermal Annealing. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1109/NANO.2018.8626372. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062303872&doi=10.1109%2fNANO.2018.8626372&partnerID=40&md5=3e0f50a406f43e4de3df2b00d0f6a42c>
- Ng, H.J. et al. (2019): On-chip antennas in SiGe BiCMOS technology: Challenges, state of the art and future directions. In: Asia-Pacific Microwave Conference Proceedings, APMC (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808483. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071909613&doi=10.1109%2fTRANSDUCERS.2019.8808483&partnerID=40&md5=b0ae5f892f71818c62d21a2bcbfd21f>
- Niu, G. et al. (2019): Operando diagnostic detection of interfacial oxygen ‘breathing’ of resistive random access memory by bulk-sensitive hard X-ray photoelectron spectroscopy. In: Materials Research Letters (Article).
- Niu, G. et al. (2019): Advanced Coherent X-ray Diffraction and Electron Microscopy of Individual In P Nanocrystals on Si Nanotips for III-V-on-Si Electronics and Optoelectronics. In: Physical Review Applied (Article). DOI:10.3390/mi10100632. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073223202&doi=10.3390%2fmi10100632&partnerID=40&md5=c130c490b36f53a54afb9186dd8e3402>

- Norouzi, Kalkani, M. (2019): Characterisation of ferroelectric thin films with scanning probe microscope methods. In: Chemnitz, TU, Master Thesis, 2019 (Master Thesis). DOI:10.1063/1.5108650. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071157303&doi=10.1063%2f1.5108650&partnerID=40&md5=6b36c285bda2e711e9f87fac4aed39c6>
- Pan, X. et al. (2019): Ar + ions irradiation induced memristive behavior and neuromorphic computing in monolithic LiNbO₃ thin films. In: Applied Surface Science (Article). DOI: 10.1016/j.sse.2019.03.014. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062810076&doi=10.1016%2fj.sse.2019.03.014&partnerID=40&md5=449dbdfb7ac87393dec816294b58b952>
- Pan, X. et al. (2019): Compliance-current-modulated resistive switching with multi-level resistance states in single-crystalline LiNbO₃ thin film. In: Solid State Ionics (Article). DOI:10.1002/pssa.201900325. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85070225023&doi=10.1002%2fpssa.201900325&partnerID=40&md5=14618b80d0377383058cbfddcd40a37f>
- Perez, E. et al. (2019): Toward Reliable Multi-Level Operation in RRAM Arrays: Improving Post-Algorithm Stability and Assessing Endurance/Data Retention. In: IEEE Journal of the Electron Devices Society (Article). DOI: 10.1149/2.0061909jss. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072652309&doi=10.1149%2f2.0061909jss&partnerID=40&md5=b7ea22a33816d7a803a1f4233b216b1f>
- Perez, E. et al. (2019): Data retention investigation in Al:HfO₂-based resistive random access memory arrays by using high-Temperature accelerated tests. In: Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics (Article). DOI:10.23919/APMC.2018.8617626. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061770112&doi=10.23919%2fAPMC.2018.8617626&partnerID=40&md5=a406692d98ec9f0b184d4d671525f6a5>
- Pérez, E. et al. (2019): Analysis of the statistics of device-to-device and cycle-to-cycle variability in TiN/Ti/Al:HfO₂/TiN RRAMs. In: Microelectronic Engineering (Article). DOI:10.23919/APMC.2018.8617373. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061794643&doi=10.23919%2fAPMC.2018.8617373&partnerID=40&md5=740e8c79584fda78a92edbd0f622874a>
- Pérez, E. et al. (2019): Characterization of the interface-driven 1st Reset operation in HfO₂-based 1T1R RRAM devices. In: Solid-State Electronics (Article). DOI:10.1080/21663831.2018.1561535. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067239494&doi=10.1080%2f21663831.2018.1561535&partnerID=40&md5=5270462c6012ebfb63a6af425d1e371a>

- Pfaehler, S. et al. (2019): Space charge-limited current transport in thin films of alkyl-functionalized silicon nanocrystals. In: Nanotechnology (Article). DOI:10.1109/ECTC.2019.00040. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072272965&doi=10.1109%2fECTC.2019.00040&partnerID=40&md5=6903f6ccb73db7498441a91c2e6cb235>
- Puschmann, R. et al. (2019): HBM and ASIC silicon interposer. In: MikroSystemTechnik Kongress <2019, Berlin> |n 52216 (Conference Paper). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073545774&partnerID=40&md5=971186e31f609825b5007fc0dea9ba2d>
- Rasras, M. et al. (2019): Editorial for the special issue on MEMS accelerometers. In: Micromachines (Editorial). DOI:10.1109/ICMETS.2019.8730964. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067895566&doi=10.1109%2fICMETS.2019.8730964&partnerID=40&md5=dde3fa1ec94e0e36c72be234a10c7819>
- Reuben, J. et al. (2019): A modeling methodology for resistive RAM based on stanford-PKU model with extended multilevel capability. In: IEEE Transactions on Nanotechnology (Article). DOI:10.1002/pssa.201900311. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069703681&doi=10.1002%2fpssa.201900311&partnerID=40&md5=c9781a32c71e740614f8cc9265ec6408>
- Robin, C. et al. (2019): Reliability evaluation of a 0.25 μm SiGe technology for space applications. In: Microelectronics Reliability (Article). DOI: 10.1016/j.mee.2018.11.007. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85057723143&doi=10.1016%2fj.mee.2018.11.007&partnerID=40&md5=96341127f103604fc638823a4b1d375f>
- Roscher, S. et al. (2019): High voltage electrochemical exfoliation of graphite for high-yield graphene production. In: RSC Advances (Article).
- Rovaris, F. et al. (2019): Dynamics of crosshatch patterns in heteroepitaxy. In: Physical Review B (Article). DOI:10.1002/ente.201900515. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85070302746&doi=10.1002%2fente.201900515&partnerID=40&md5=34fdc4caa31f56343e99eb19eaf56d59>
- Sammak, A. et al. (2019): Shallow and Undoped Germanium Quantum Wells: A Playground for Spin and Hybrid Quantum Technology. In: Advanced Functional Materials (Article). DOI:10.1002/andp.201900199. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071050684&doi=10.1002%2fandp.201900199&partnerID=40&md5=6b905d26fd7240976b27899a9cbc5e87>
- Saraswat, V. et al. (2019): Synthesis of armchair graphene nanoribbons on germanium-on-silicon. In: Journal of Physical Chemistry C (Article). DOI: 10.1016/j.physe.2018.12.002. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85059062217&doi=10.1016%2fj.physe.2018.12.002&partnerID=40&md5=e804cb3aaeb039d8bebef68ccf872dcc>

- Schiffer, M. et al. (2019): Mems Mass Flow Controller for Liquid Fuel Supply to HCCI-Driven Engine. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors XXXIII, TRANSDUCERS 2019 and EUROSENSORS XXXIII (Conference Paper). DOI: 10.1016/j.nima.2018.07.075. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85050979314&doi=10.1016%2fj.nima.2018.07.075&partnerID=40&md5=771c07e0153c3fea3bf6a12c2824b027>
- Schulze, S. et al. (2019): Optimization of a BEOL aluminum deposition process enabling wafer level Al-Al thermo-compression bonding. In: Proceedings - Electronic Components and Technology Conference (Conference Paper). DOI: 10.1016/j.jcrysgro.2019.02.055. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062329216&doi=10.1016%2fj.jcrysgro.2019.02.055&partnerID=40&md5=6ef12c3ac7cc062f682533dd28157d7b>
- Sharma, A. et al. (2019): Magnetic tunnel junctions: Laser annealing versus oven annealing. In: IEEE Transactions on Magnetics (Article). DOI: 10.1016/j.microrel.2019.113480. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074698431&doi=10.1016%2fj.microrel.2019.113480&partnerID=40&md5=2434206783f9ff4c9c7d380db1321de5>
- Sharma, A. et al. (2019): Exchange bias and diffusion processes in laser annealed CoFeB/IrMn thin films. In: Journal of Magnetism and Magnetic Materials (Article). DOI:10.1109/IRPS.2019.8720552. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066755649&doi=10.1109%2fIRPS.2019.8720552&partnerID=40&md5=e600d4438713cdbf490743df72b50e68>
- Sorge, R. et al. (2019): Radiation tolerant RF-LDMOS transistors, integrated into a 0.25µm SiGe-BICMOS technology. In: Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment (Article). DOI: 10.1149/2.0091903jss. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072040786&doi=10.1149%2f2.0091903jss&partnerID=40&md5=4b4401d5768c5c5afde45c59e6413abc>
- Strobel, C. et al. (2019): Demonstration of a graphene-base heterojunction transistor with saturated output current. In: Journal of Applied Physics (Article). DOI:10.1002/apsa.201900302. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068679666&doi=10.1002%2fapsa.201900302&partnerID=40&md5=2d4deb6b400409c350ea20a3e30819ed>
- Teichert, F. et al. (2019): An improved Green's function algorithm applied to quantum transport in carbon nanotubes. In: Computational Materials Science (Article). DOI:10.1002/adfm.201807613. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060514749&doi=10.1002%2fadm.201807613&partnerID=40&md5=0976c59b8910cbe1aa6b881f26582787>

- Valerio, P. et al. (2019): A monolithic ASIC demonstrator for the Thin Time-of-Flight PET scanner. In: Journal of Instrumentation (Article). DOI:10.4028/www.scientific.net/MSF.959.107. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071034380&doi=10.4028%2fwww.scientific.net%2fMSF.959.107&partnerID=40&md5=51fb06604e123d6c95c13da8a80aee7b>
- Varlamova, O. et al. (2019): Wetting properties of LIPSS structured silicon surfaces. In: European Physical Journal B (Article). DOI:10.1088/1361-6528/ab2c28. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069943110&doi=10.1088%2f1361-6528%2fab2c28&partnerID=40&md5=55b2acdba2fdc455ba8e01f97bd71ab2>
- von den Driesch, N. et al. (2019): Epitaxy of Si-Ge-Sn-based heterostructures for CMOS-integratable light emitters. In: Solid-State Electronics (Article).
- Wang, D. et al. (2019): On-chip scalable resonator-based transducers for terahertz dielectric sensing in SiGe BiCMOS technology. In: Asia-Pacific Microwave Conference Proceedings, APMC (Conference Paper).
- Wang, D. et al. (2019): 207-257 GHz Integrated Sensing Readout System with Transducer in a 130-nm SiGe BiCMOS Technology. In: IEEE MTT-S International Microwave Symposium Digest (Conference Paper). DOI:10.1134/S1063782619060101. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067185115&doi=10.1134%2fS1063782619060101&partnerID=40&md5=457ccab01acc76aa2ebb4874f8b77d21>
- Wang, Q. et al. (2019): Correction: Interface-engineered reliable HfO₂-based RRAM for synaptic simulation (Journal of Materials Chemistry C (2019) DOI: 10.1039/c9tc04880d). In: Journal of Materials Chemistry C (Erratum).
- Wang, Q. et al. (2019): Interface-engineered reliable HfO₂-based RRAM for synaptic simulation. In: Journal of Materials Chemistry C (Article). DOI: 10.1021/acs.jpcc.9b04390. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85070401244&doi=10.1021%2facs.jpcc.9b04390&partnerID=40&md5=a005dba261332a3c9b5295c04aa2253b>
- Weber, J. (2019): Stress current slew rate sensitivity of an ultra-high-speed interface IC. In: IEEE transactions on device and materials reliability (Article). DOI: 10.1016/j.jmrm.2019.01.050. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060075640&doi=10.1016%2fj.jmrm.2019.01.050&partnerID=40&md5=eff1ebba9113f77c6f2703a00d4dad3>
- Weber, J. (2019): Pulsed High Current Characterization of Highly Integrated Circuits and System. (Dissertation). DOI:10.3390/COATINGS9050345. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069767008&doi=10.3390%2fCOATINGS9050345&partnerID=40&md5=1af00a08f99fb17b525cd6400e59720a>

- Weinreich, W. et al. (2019): Materials for on-chip Energy Storage. In: Proceedings of the IEEE Conference on Nanotechnology (Conference Paper). DOI:10.3390/nano9071035. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073284531&doi=10.3390%2fnano9071035&partnerID=40&md5=901ce945388699f53d80ef592dc19841>
- Wenger, C. et al. (2019): Inherent stochastic learning in CMOS-Integrated HfO₂ arrays for neuromorphic computing. In: IEEE Electron Device Letters (Article). DOI:10.1109/JEDS.2019.2931769. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071184579&doi=10.1109%2fJEDS.2019.2931769&partnerID=40&md5=a40a3a585e9120984615fdcac04b2764>
- Wolff, S. et al. (2019): Quasi-Freestanding Graphene on SiC(0001) by Ar-Mediated Intercalation of Antimony: A Route Toward Intercalation of High-Vapor-Pressure Elements. In: Annalen der Physik (Article). DOI:10.3390/bios9020077. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068182143&doi=10.3390%2fbios9020077&partnerID=40&md5=5d638205bae6c6dbc0b9006a0b2b4f34>
- Wolny, F. et al. (2019): Reduced metal contamination from crucible and coating using a silicon nitride based diffusion barrier for the growth of cast quasi-single crystalline silicon ingots. In: Journal of Crystal Growth (Article). DOI:10.3390/app9173462. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072286808&doi=10.3390%2fapp9173462&partnerID=40&md5=4ea9fddcb7650e0573fe0f703fd65541>
- Yacoub-George, E. (2019): Ultra-thin flexible interposer - a flexible hybrid integration approach to replace wire bonds. In: Smart Systems Integration 2019 (Conference Paper). DOI:10.1002/psa.201900287. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069700034&doi=10.1002%2fpsa.201900287&partnerID=40&md5=f63b60911941278b7c2d33024ea0d854>
- Yamamoto, Y. et al. (2019): Self-ordered Ge nanodot fabrication by using reduced pressure chemical vapor deposition. In: ECS Journal of Solid State Science and Technology (Article). DOI:10.1063/1.5088012. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067795176&doi=10.1063%2f1.5088012&partnerID=40&md5=bce4f87453017b85451cea2cc368661d>
- Yazdi, G.R. et al. (2019): Effect of epitaxial graphene morphology on adsorption of ambient species. In: Applied Surface Science (Article). DOI:10.1109/TCSII.2019.2891133. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071874929&doi=10.1109%2fTCSII.2019.2891133&partnerID=40&md5=eca3b497852eae61b1d52948e2f6d1de>
- Zenkevich, E.I. (2019): Surface effects and photoinduced relaxation processes in nanocomposites based on semiconductor quantum dots CdSe/ZnS and organic dye molecules. (Conference Paper). DOI:10.1109/LED.2019.2899878. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064069386&doi=10.1109%2fLED.2019.2899878&partnerID=40&md5=d33fd641d6069ccddfca012590b657a9>

- Zhang, L. (2019): Design of a Charge Pump for a 4.3 GHz Frequency Synthesizer in 22 nm FD-SOI CMOS Technology. (Master Thesis). DOI:10.1109/ICECS.2018.8617996. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062258207&doi=10.1109%2fICECS.2018.8617996&partnerID=40&md5=d7bb8992497b9282c8195a3dc06b5853>
- Zoschke, K. et al. (2019): High-density flexible substrate technology with thin chip embedding and partial carrier release option for IoT and sensor applications. (Conference Paper). DOI:10.1140/epjb/e2019-90672-2. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85065568106&doi=10.1140%2fepjb%2fe2019-90672-2&partnerID=40&md5=62e7a8ad0476d07a7632f008c1a6c3e6>