

Publications from the Technology Platform "Sensor Systems" of the Research Fab Microelectronics Germany (2019)

- Allani, S. et al. (2019): Fabrication of Partly Encapsulated Vertical Nanoelectrodes for an Intracellular Microelectrode Array. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808711
- Atkinson, G.A. et al. (2019): High-precision polarization measurements and analysis for machine vision applications. In: Proceedings - European Workshop on Visual Information Processing, EUVIP (Conference Paper). DOI:10.1109/EUVIP.2018.8611762. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062685308&doi=10.1109%2fEUVIP.2018.8611762&partnerID=40&md5=b0dbf1fcfd6f87f5fad96d1081ce9dc2>
- Bargiel, S. et al. (2019): Technological platform for vertical multi-wafer integration of microscanners and micro-optical components. In: Micromachines (Article). DOI:10.3390/mi10030185. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85063563844&doi=10.3390%2fmi10030185&partnerID=40&md5=2b198eb033f8b85b9f8f18131db4b48c>
- Baur, M. et al. (2019): How to measure the volume fraction of granular assemblies using x-ray radiography. In: Powder Technology (Article). DOI: 10.1016/j.powtec.2019.08.025. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071497336&doi=10.1016%2fj.powtec.2019.08.025&partnerID=40&md5=b8baa3947053ecd074c5535172222ab5>
- Baur, M. et al. (2019): Correction of beam hardening in X-ray radiograms. In: Review of Scientific Instruments (Article). DOI:10.1063/1.5080540. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061830913&doi=10.1063%2f1.5080540&partnerID=40&md5=202a58607557b16581f37f08c1a5061a>
- Becker, K. (2019): Plattformkonzept zum Aufbau von hochintegrierten Multisensorknoten. In: MikroSystemTechnik Kongress 2019 (Konferenzbeitrag).
- Beer, M. et al. (2019): 2×192 Pixel CMOS SPAD-Based Flash LiDAR Sensor with Adjustable Background Rejection. In: 2018 25th IEEE International Conference on Electronics Circuits and Systems, (Conference Paper). DOI:10.1109/ICECS.2018.8617905.

- Bemana, M. et al. (2019): Learning to Predict Image-based Rendering Artifacts with Respect to a Hidden Reference Image. In: Computer Graphics Forum (Article). DOI:10.1111/cgf.13862. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075098898&doi=10.1111%2fcgf.13862&partnerID=40&md5=356f5078947f5e3da84e1cd6c9e44da9>
- Beran, P. et al. (2019): Impact of contact misalignment on magnetic cross sensitivity of integrated vertical hall sensors. In: IEEE Transactions on Magnetics (Article). DOI:10.1109/TMAG.2018.2873238. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85055685648&doi=10.1109%2fTMAG.2018.2873238&partnerID=40&md5=9868f38460d9b45f902c5323241e4521>
- Beran, P. et al. (2019): Measurement Characteristics of Different Integrated Three-Dimensional Magnetic Field Sensors. In: IEEE Magnetics Letters (Article). DOI:10.1109/LMAG.2019.2944581. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074996610&doi=10.1109%2fLMAG.2019.2944581&partnerID=40&md5=2f2917e3b943e1d0a586070c02a42d19>
- Bergler, M. et al. (2019): Automatic Detection of Tumor Buds in Pan-Cytokeratin Stained Colorectal Cancer Sections by a Hybrid Image Analysis Approach. In: Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics) (Conference Paper). DOI: 10.1007/978-3-030-23937-4_10. Link: https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069170776&doi=10.1007%2f978-3-030-23937-4_10&partnerID=40&md5=ea25eb854bdf324619a3d77bda409cbb
- Blaudeck, T. et al. (2019): Photosensitive Field-Effect Transistors Made from Semiconducting Carbon Nanotubes and Non-Covalently Attached Gold Nanoparticles. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1002/pssa.201900030. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064626366&doi=10.1002%2fpssa.201900030&partnerID=40&md5=1dd29425c5835cf9ec067bda95df999e>
- Bottger, S. et al. (2019): Role of Contacts in Carbon Nanotube Giant Piezoresistive Sensors. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors XXXIII, TRANSDUCERS 2019 and EUROSENSORS XXXIII (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808571. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071954107&doi=10.1109%2fTRANSDUCERS.2019.8808571&partnerID=40&md5=f8869399c4e4131415462491d830016c>
- Böttger, S. et al. (2019): Sensitivity control of carbon nanotube-based piezoresistive sensors by drain-induced barrier thinning. In: Sensors and Actuators, A: Physical (Article). DOI: 10.1016/j.sna.2019.06.003. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067251216&doi=10.1016%2fj.sna.2019.06.003&partnerID=40&md5=23a01d1f1e39b78c36899e0784ad5b66>
- Braun, S. et al. (2019): Fully integrated sensor electronics for inductive proximity switches operating up to 250 °C. In: IMAPS Additional Conferences (Device Packaging, HiTEC, HiTEN, & CICMT). Online journal (Zeitschriftenaufsatz).

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Brüggewirth, S. et al. (2019): Robotic control for cognitive UWB radar. In: Robotic Intelligence (Book Chapter). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068133242&partnerID=40&md5=a54d836e592845f6d90e96df01be837a>
- Brzozowski, M. et al. (2019): Real-world deployments of sensor networks: Practical lessons for researchers. In: Computer Communications (Article). DOI: 10.1016/j.comcom.2019.07.008. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069750639&doi=10.1016%2fj.comcom.2019.07.008&partnerID=40&md5=7af5ee089ab57738b788b65e14a6dab8>
- Christ, M. et al. (2019): Development and qualification of miniaturized, uhv-compatible optical systems for integrated atomic quantum technologies. In: 2019 Conference on Lasers and Electro-Optics Europe and European Quantum Electronics Conference, CLEO/Europe-EQEC 2019 (Conference Paper). DOI:10.1109/CLEOE-EQEC.2019.8872923. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074666970&doi=10.1109%2fCLEOE-EQEC.2019.8872923&partnerID=40&md5=8c6db4e081bac1be143432b0bf25408e>
- Christ, M. et al. (2019): Integrated atomic quantum technologies in demanding environments: development and qualification of miniaturized optical setups and integration technologies for UHV and space operation. In: CEAS Space Journal (Article). DOI: 10.1007/s12567-019-00252-0. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067654673&doi=10.1007%2fs12567-019-00252-0&partnerID=40&md5=bf5b78e164fd40a312359c6fd23ce1ae>
- Cibraite, D. et al. (2019): TeraFET multi-pixel THz array for a confocal imaging system. In: International Conference on Infrared, Millimeter, and Terahertz Waves, IRMMW-THz (Conference Paper). DOI:10.1109/IRMMW-THz.2019.8874217. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074693607&doi=10.1109%2fIRMMW-THz.2019.8874217&partnerID=40&md5=4f352271112fc933ba878e154bf1a553>
- Cichon, D. et al. (2019): A Hall-Sensor-Based Localization Method with Six Degrees of Freedom Using Unscented Kalman Filter. In: IEEE Sensors Journal (Article). DOI:10.1109/JSEN.2018.2887299. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062709248&doi=10.1109%2fJSEN.2018.2887299&partnerID=40&md5=7d5725929711cf1ce3bbf75c4c5cb1da>
- Correas-Serrano, A. et al. (2019): Sparse reconstruction of chirplets for automotive FMCW radar interference mitigation. In: 2019 IEEE MTT-S International Conference on Microwaves for Intelligent Mobility, ICMIM 2019 (Conference Paper). DOI:10.1109/ICMIM.2019.8726758. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068071793&doi=10.1109%2fICMIM.2019.8726758&partnerID=40&md5=05d120b40a7122e6457cf199dcb7cf69>
- Costa, C.A.B. et al. (2019): Meat and fish freshness evaluation by functionalized cantilever-based biosensors. In: Microsystem Technologies (Article). DOI: 10.1007/s00542-019-04598-7. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071418337&doi=10.1007%2fs00542-019-04598-7&partnerID=40&md5=b1413511d7041b1464314bf473fefa7>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- da Rosa Zanatta, M. et al. (2019): Tensor-based time-delay estimation for second and third generation global positioning system. In: Digital Signal Processing: A Review Journal (Article). DOI: 10.1016/j.dsp.2019.04.003. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85065207467&doi=10.1016%2fj.dsp.2019.04.003&partnerID=40&md5=44ab9ac5bb0f755805d6bec29ccf407f>
- Dogan, Ö. (2019): Miniaturized multi sensor implant for monitoring of hemodynamic parameters. In: 41st Annual International Conference of the IEEE Engineering in Medicine and Biology Society, EMBC 2019 (Conference Paper).
- Dogan, Ö. (2019): Multisensor-Implantat zur Überwachung der Hämodynamik. In: MikroSystemTechnik Kongress 2019 (Konferenzbeitrag).
- Döge, J. (2019): A Vision System-on-Chip with Multi-Stage Compressing Readout. (Audiovisual Material).
- Eckardt, A. et al. (2019): Status of the next generation CMOS-TDI detector for high-resolution imaging. In: Proceedings of SPIE - The International Society for Optical Engineering, (Conference Paper). DOI:10.1117/12.2528698. Link: <https://www.scopus.com/record/display.uri?eid=2-s2.0-85075085193&doi=10.1117%2f12.2528698&origin=inward&txGid=d3308c9e728bae046766553e406a07d1>
- Enderlein, T. et al. (2019): Electrically Controlled Actuation of Strained Nanomembranes. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1002/pssa.201800840. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85062357366&doi=10.1002%2fpssa.201800840&partnerID=40&md5=1e12ecae5083ea42abacffa15ca68496>
- Enge-Rosenblatt, O. (2019): Intelligente Produktion von morgen - Maschinendaten sinnvoll nutzen. (Studie).
- Fedtschenko, T. et al. (2019): A low-power wireless nano-potentiostat for biomedical applications with ISO 18000-3 interface in 0.35 μm CMOS. In: roceedings of the International Conference on Sensing Technology, (Conference Paper). DOI:10.1109/ICSenST.2018.8603580.
- Fedtschenko, T. et al. (2019): A new configurable wireless sensor system for biomedical applications with ISO 18000-3 interface in 0.35 μm CMOS. In: Sensors (Switzerland) (Article). DOI: 10.3390/s19194110. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072556291&doi=10.3390%2fs19194110&partnerID=40&md5=3e51149bbd22466fc3a405d437a5e07c>
- Fitzau, O. et al. (2019): Highly stable fiber lasers for satellite-based gravitational measurements. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1117/12.2509950. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068329083&doi=10.1117%2f12.2509950&partnerID=40&md5=795784ef809c91eddbac87c41ee806fa>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Forke, R. et al. (2019): Low Power High Bandwidth Acceleration Sensor for Industrial Applications. In: INERTIAL 2019 - 6th IEEE International Symposium on Inertial Sensors and Systems, Proceedings (Conference Paper). DOI:10.1109/ISISS.2019.8739510. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068598350&doi=10.1109%2fISISS.2019.8739510&partnerID=40&md5=2e2787e5b37ef0791d66e2b0d6627c95>
- Gembaczka, P. et al. (2019): Combination of sensor-embedded and secure server-distributed artificial intelligence for healthcare applications. In: Current Directions in Biomedical Engineering (Zeitschriftenaufsatz). DOI: 10.1515/cdbme-2019-0008. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072633841&doi=10.1515%2fcdme-2019-0008&partnerID=40&md5=4bfde4912f6925fce46782e439d9d78c>
- Grاسبöck, L. (2019): Wireless Sensor Networks and Energy Harvesting for Energy Autonomous Smart Structures. In: Smarte Strukturen und Systeme. 4SMARTS-Symposiums 2019. Tagungsband (Conference Paper).
- Gromala, P. et al. (2019): Concept of the 3rd generation of reliability for electronic smart systems. In: InterSociety Conference on Thermal and Thermomechanical Phenomena in Electronic Systems, IThERM (Conference Paper). DOI:10.1109/ITHERM.2019.8757462. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073901136&doi=10.1109%2fITHERM.2019.8757462&partnerID=40&md5=8a50345ec22e313451718c6fc05b51d1>
- Grüger, H. et al. (2019): Investigation of mechanical and optical properties of 3D printed materials serving as substrate for place and bend assembly. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1117/12.2509279. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068096006&doi=10.1117%2f12.2509279&partnerID=40&md5=932491025622ea06032df119f0ad5bf9>
- Grüger, H. et al. (2019): MEMS based NIR spectrometer with extended spectral range. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1117/12.2509245. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068069200&doi=10.1117%2f12.2509245&partnerID=40&md5=bf369fbf8b2449a018c48401f2001bb3>
- Haase, J.F. et al. (2019): Measurement concept for direct time-of-flight sensors at high ambient light. In: Proceedings of SPIE - The International Society for Optical Engineering, (Conference Paper). DOI:10.1117/12.2509779. Link: <https://www.scopus.com/record/display.uri?eid=2-s2.0-85068164862&doi=10.1117%2f12.2509779&origin=inward&txGid=bf0dde07299a353f42382a9e397e78fa>
- Hasan, R. et al. (2019): F-Band Differential Microstrip Patch Antenna Array and Waveguide to Differential Microstrip Line Transition for FMCW Radar Sensor. In: IEEE Sensors Journal (Article). DOI:10.1109/JSEN.2019.2909935. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068707805&doi=10.1109%2fJSEN.2019.2909935&partnerID=40&md5=24d56c459c81a9f889c812a5d35c5a5e>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Hayakawa, D. et al. (2019): Development of the Thin TOF-PET scanner based on fast monolithic silicon pixel sensors. In: Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment (Article). DOI: 10.1016/j.nima.2019.162433. Link:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069850656&doi=10.1016%2Fj.nima.2019.162433&partnerID=40&md5=9ba6c8c5a33f5e9b0ff1b73504c4e919>
- Heldt, G. (2019): Integration of plasmonic nanostructures for micro-opto-electromechanical-systems. In: Smart Systems Integration 2019 (Conference Paper).
- Herrmann, N. et al. (2019): Spiral microfluidic devices for cell separation and sorting in bioprocesses. In: Biomicrofluidics (Review). DOI:10.1063/1.5125264. Link:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074723816&doi=10.1063%2F1.5125264&partnerID=40&md5=1cd408a2f1b2b75a7cc26ebf05136cca>
- Hobisch, M.A. et al. (2019): Cobalt Ferrite Nanoparticles for Three-Dimensional Visualization of Micro- and Nanostructured Cellulose in Paper. In: ACS Applied Nano Materials (Article). DOI:10.1021/acsnm.9b00718. Link:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067812708&doi=10.1021%2Facsanm.9b00718&partnerID=40&md5=d43ba0304b276d8bb8c7e8ba73e0f23c>
- Jaeckel, S. et al. (2019): Industrial Indoor Measurements from 2-6 GHz for the 3GPP-NR and QuaDRiGa Channel Model. In: IEEE Vehicular Technology Conference (Conference Paper). DOI:10.1109/VTCFall.2019.8891356. Link:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075231246&doi=10.1109%2FVTCFall.2019.8891356&partnerID=40&md5=d7e4f29d84f9483a10afdc108b82c3e5>
- Jonscher, M. et al. (2019): Dynamic Non-Regular Sampling Sensor Using Frequency Selective Reconstruction. In: IEEE Transactions on Circuits and Systems for Video Technology (Article). DOI:10.1109/TCSVT.2018.2876653. Link:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85055024328&doi=10.1109%2FTCSVT.2018.2876653&partnerID=40&md5=53363fccd3507e209f0834f4066a6f0e>
- Kaynak, C.B. et al. (2019): Mechanical and thermal modeling of an uncooled microbolometer. In: Proceedings of European Microwave Conference in Central Europe, EuMCE 2019 (Conference Paper). Link:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074422657&partnerID=40&md5=cb2ad8480c19554c804c7650a36b248e>
- Kiani, M. et al. (2019): P-N Junction-Based Si Biochips with Ring Electrodes for Novel Biosensing Applications. In: Biosensors (Article). DOI: 10.3390/bios9040120. Link:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073425063&doi=10.3390%2Fbios9040120&partnerID=40&md5=662d4cb8588c0df7e727e7fd0a144aa5>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Killguß, N. et al. (2019): Interactive Image Segmentation for Cochlea Implant Planning based on DVT Data. In: Current Directions in Biomedical Engineering (Article). DOI: 10.1515/cdbme-2019-0104. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072712923&doi=10.1515%2fcdme-2019-0104&partnerID=40&md5=d096d6f3a7c6573dbe87264ac79f1f9d>
- Klare, P. et al. (2019): Automated polyp detection in the colorectum: a prospective study (with videos). In: Gastrointestinal Endoscopy (Article). DOI: 10.1016/j.gie.2018.09.042. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85057960361&doi=10.1016%2fj.gie.2018.09.042&partnerID=40&md5=458df81ff8b2b24b43813ccdb71a804e>
- Klucken, J. et al. (2019): Wearables in the treatment of neurological diseases—where do we stand today? [„Wearables“ in der Behandlung neurologischer Erkrankungen – wo stehen wir heute?]. In: Nervenarzt (Review). DOI: 10.1007/s00115-019-0753-z. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068980589&doi=10.1007%2fs00115-019-0753-z&partnerID=40&md5=77e78bfcdd84c1643a76cbbd7553b090>
- Knauß, A. M. (2019): Herstellung nano-skaliertes Gassensoren unter Verwendung neuer Metalloxid-ALDPrecursormaterialien. In: MikroSystemTechnik Kongress 2019 (Konferenzbeitrag).
- Kneißl, J. et al. (2019): Effiziente Kommunikation zur Konfiguration von Sensorknoten. (Studie).
- Kock, A. et al. (2019): 3D-Integrated Multi-Sensor Demonstrator System for Environmental Monitoring. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors XXXIII, TRANSDUCERS 2019 and EUROSENSORS XXXIII (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808418. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071922589&doi=10.1109%2fTRANSDUCERS.2019.8808418&partnerID=40&md5=f915e0f69059702dd228908b254317dd>
- Krenkel, M. et al. (2019): CMUT with mechanically coupled plate actuators for low frequencies. In: Journal of Micromechanics and Microengineering (Article). DOI:10.1088/1361-6439/ab035d. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064080186&doi=10.1088%2f1361-6439%2fab035d&partnerID=40&md5=ed914eae40829444d133b2e32d251bfc>
- Krieg, F. et al. (2019): Saft processing for manually acquired ultrasonic measurement data with 3d smartinspect. In: Insight: Non-Destructive Testing and Condition Monitoring (Article). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075392065&partnerID=40&md5=394dc3f765dd01ab025af592c8fa63b1>
- Lammert, V. et al. (2019): A K-Band Complex Permittivity Sensor for Biomedical Applications in 130-nm SiGe BiCMOS. In: IEEE Transactions on Circuits and Systems II: Express Briefs (Article). DOI:10.1109/TCSII.2019.2921199. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072779824&doi=10.1109%2fTCSII.2019.2921199&partnerID=40&md5=c792aa4a43f9a6ed93d8dac2ab8f8711>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Lauterbach, T. et al. (2019): Measurements on the fly– Introducing mobile micro-sensors for biotechnological applications. In: Sensors and Actuators, A: Physical (Article). DOI: 10.1016/j.sna.2019.01.003. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85059832004&doi=10.1016%2fj.sna.2019.01.003&partnerID=40&md5=3dac21a37bbaec22fead6849d8245055>
- Lisec, T. et al. (2019): Integrated High Power Micro Magnets for MEMS Sensors and Actuators. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors XXXIII, TRANSDUCERS 2019 and EUROSENSORS XXXIII (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808804. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071112332&doi=10.1109%2fTRANSDUCERS.2019.8808804&partnerID=40&md5=94f6de7ad6580b6a4408cca206792e43>
- Lu, Z. et al. (2019): A flutter-based electromagnetic wind energy harvester: Theory and experiments. In: Applied Sciences (Switzerland) (Article). DOI: 10.3390/app9224823. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075200995&doi=10.3390%2fapp9224823&partnerID=40&md5=7a22206be15dc1e4bbf4819369564d33>
- Lu, Z. et al. (2019): A nonlinear broadband electromagnetic vibration energy harvester based on double-clamped beam. In: Energies (Article). DOI:10.3390/en12142711. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069582916&doi=10.3390%2fen12142711&partnerID=40&md5=e614fe50f9573b187f5724bf26910651>
- Mahesh, B. et al. (2019): Requirements for a Reference Dataset for Multimodal Human Stress Detection. In: 2019 IEEE International Conference on Pervasive Computing and Communications Workshops, PerCom Workshops 2019 (Conference Paper). DOI:10.1109/PERCOMW.2019.8730884. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067926854&doi=10.1109%2fPERCOMW.2019.8730884&partnerID=40&md5=8fe61e5a5b0505083c61301218474ab2>
- Maiwald, M. et al. (2019): Rapid and adjustable shifted excitation Raman difference spectroscopy at 785 nm. In: Progress in Biomedical Optics and Imaging - Proceedings of SPIE (Conference Paper). DOI:10.1117/12.2507409. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068036792&doi=10.1117%2f12.2507409&partnerID=40&md5=76026f893b54914e61a0b26b85ace914>
- Manczak, R. et al. (2019): UHF-Dielectrophoresis Crossover Frequency as a New Marker for Discrimination of Glioblastoma Undifferentiated Cells. In: IEEE Journal of Electromagnetics, RF and Microwaves in Medicine and Biology (Article). DOI:10.1109/JERM.2019.2895539. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069952715&doi=10.1109%2fJERM.2019.2895539&partnerID=40&md5=2d9d5c398bcf10ca1c7bd162e5394537>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Mayer, D. (2019): IoT for Building Energy Systems in Zero-Emission Buildings. (Master Thesis).
- Meinecke, C. (2019): Development of a multi-sensor system for condition monitoring and crash detection of machine tools with rotating spindles. In: MikroSystemTechnik Kongress 2019 (Conference Paper).
- Michel, M. et al. (2019): Modeling of Thermal Conductivity for a CMOS-Compatible MEMS-ROIC Contact by TiN Nanotubes. In: IEEE Transactions on Electron Devices (Article). DOI:10.1109/TED.2019.2919766. Link: <https://www.scopus.com/record/display.uri?eid=2-s2.0-85069902959&doi=10.1109%2fTED.2019.2919766&origin=inward&txGid=c3c605f6da727a51476f43e96dd2ad3b>
- Munchenberger, F.M. et al. (2019): Post-CMOS 3D-Integration of a Nanopellistor. In: PRIME 2019 - 15th Conference on Ph.D. Research in Microelectronics and Electronics, (Conference Paper). DOI:10.1109/PRIME.2019.8787749. Link: <https://www.scopus.com/record/display.uri?eid=2-s2.0-85071309289&doi=10.1109%2fPRIME.2019.8787749&origin=inward&txGid=cb98d0178d92743af0b57d61e3fbefc0>
- Müssig, S. et al. (2019): Supraparticles with a Magnetic Fingerprint Readable by Magnetic Particle Spectroscopy: An Alternative beyond Optical Tracers. In: Advanced Materials Technologies (Article). DOI:10.1002/admt.201900300. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066990718&doi=10.1002%2fadmt.201900300&partnerID=40&md5=ff08b4148d61778293b38ed4f95d4b94>
- Ngo, H.-D. et al. (2019): Piezoresistive Pressure Sensors for Applications in Harsh Environments—A Roadmap. In: Smart Sensors, Measurement and Instrumentation (Book Chapter). DOI: 10.1007/978-3-319-99540-3_12. Link: https://www.scopus.com/inward/record.uri?eid=2-s2.0-85052525107&doi=10.1007%2f978-3-319-99540-3_12&partnerID=40&md5=c0d0f9da5d22496c1f7227df766256dd
- Niekiet, F. et al. (2019): Highly sensitive MEMS magnetic field sensors with integrated powder-based permanent magnets. In: Sensors and Actuators, A: Physical (Article). DOI: 10.1016/j.sna.2019.111560. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071135004&doi=10.1016%2fj.sna.2019.111560&partnerID=40&md5=8a74183354486012769545bfe075fe18>
- Nüßler, D. et al. (2019): THz imaging for recycling of black plastics. In: 8th German Microwave Conference, GeMiC 2014 (Conference Paper). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073147457&partnerID=40&md5=5819708aa610308ac359b9aeaa731780>
- Palavesam, N. (2019): A novel low cost roll-to-roll manufacturing compatible ultra-thin chip integration and direct metal interconnection process for flexible hybrid electronics. In: IMAPS Nordic Conference on Microelectronics Packaging, NordPac 2019. Proceedings (Conference Paper).

- Palavesam, N. et al. (2019): A novel low cost roll-to-roll manufacturing compatible ultra-thin chip integration and direct metal interconnection process for flexible hybrid electronics. In: Proceedings - 2019 IMAPS Nordic Conference on Microelectronics Packaging, NORDPAC 2019 (Conference Paper). DOI:10.23919/NORDPAC.2019.8760350. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073885885&doi=10.23919%2fNORDPAC.2019.8760350&partnerID=40&md5=aa6cf d1d344d3f6acc52d32c812da2ec>
- Pommerening, F. et al. (2019): Entwicklung und Evaluierung eines Dosiersystems zur indirekten Förderung von partikelbeladenen Flüssigkeiten mit integrierter Volumenkontrolle und Partikelzählung. (Online-Ressource).
- Psiuk, R. et al. (2019): Inductive localization accuracy of a passive 3-D coil in an Industry 4.0 environment. In: Journal of Sensors and Sensor Systems (Article). DOI: 10.5194/jsss-8-171-2019. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85064980893&doi=10.5194%2fjsss-8-171-2019&partnerID=40&md5=4c95533839092b75f1b0f729bf4c80a5>
- Rank, E.A. et al. (2019): Spectral domain and swept source optical coherence tomography on a photonic integrated circuit at 840nm for ophthalmic application. In: Progress in Biomedical Optics and Imaging - Proceedings of SPIE (Conference Paper). DOI:10.1117/12.2526903. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073808944&doi=10.1117%2f12.2526903&partnerID=40&md5=fc14fa80fe9d61eb4 2bf589360502c56>
- Ravada, K. V. H. (2019): Investigation of Shear Forces using Coupled ANSYS Simulation of Micro Diaphragm Pump Dynamics. (Master Thesis).
- Rehak, M. et al. (2019): Precise measurement of sugar beet seedlings using the phenoTest [Präzise Vermessung von Zuckerrübenkeimlingen mit dem phenoTest]. In: Technisches Messen (Article). DOI:10.1515/teme-2019-0021. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067123564&doi=10.1515%2f teme-2019-0021&partnerID=40&md5=e8054ca56cb7a269fef195fcfd4c1504>
- Reichel, A. et al. (2019): Data fusion of multi-spectral cameras on a low-power processing platform for self-sufficient outdoor operation. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1117/12.2531351. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072909923&doi=10.1117%2f12.2531351&partnerID=40&md5=233d19f6e7a68566 71e2b5400bae3f28>
- Richter, T. (2019): Rate Allocation for Bayer-Pattern Image Compression with JPEG XS. In: Data Compression Conference Proceedings (Conference Paper). DOI:10.1109/DCC.2019.00040. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066307495&doi=10.1109%2fDCC.2019.00040&partnerID=40&md5=ac7d565f4518 0bab620237ff6203123f>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Rothbart, N. et al. (2019): Gas Spectroscopy at 222-270 GHz Based on SiGe BiCMOS using a Multi-Pass Ring Cell. In: International Conference on Infrared, Millimeter, and Terahertz Waves, IRMMW-THz (Conference Paper). DOI:10.1109/IRMMW-THz.2019.8873837. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074715331&doi=10.1109%2fIRMMW-THz.2019.8873837&partnerID=40&md5=862dea203a2f1a95e6bb297657c7a664>
- Rothbart, N. et al. (2019): Analysis of human breath by millimeter-wave/terahertz spectroscopy. In: Sensors (Switzerland) (Article). DOI: 10.3390/s19122719. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068448293&doi=10.3390%2fs19122719&partnerID=40&md5=97e4c646e087c5f17b21e54703a4960a>
- Ruger, S. et al. (2019): Automated detection of bone splinters in DEXA phantoms using deep neural networks. In: Current Directions in Biomedical Engineering (Article). DOI: 10.1515/cdbme-2019-0071. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072638373&doi=10.1515%2fcdme-2019-0071&partnerID=40&md5=3c14b4d7007cac438615a0d5ea0388a6>
- Schlicht, M. (2019): Bidirektionale Konfiguration von Sensorknoten mit Mobiltelefon ohne Erweiterung. (Master Thesis).
- Schmalz, K. et al. (2019): Transmitters and receivers in SiGe BiCMOS technology for sensitive gas spectroscopy at 222 - 270 GHz. In: AIP Advances (Article). DOI:10.1063/1.5066261. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060162285&doi=10.1063%2f1.5066261&partnerID=40&md5=ff189eb6285f21aa01efeea242eb55b1>
- Semper, S. et al. (2019): Defect detection from compressed 3-D ultrasonic frequency measurements. In: European Signal Processing Conference (Conference Paper). DOI:10.23919/EUSIPCO.2019.8903133. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85075618298&doi=10.23919%2fEUSIPCO.2019.8903133&partnerID=40&md5=c309f2ed9a54078b8c445222e126268f>
- Shekhar, S. et al. (2019): Light-field intrinsic dataset. In: British Machine Vision Conference 2018, BMVC 2018 (Conference Paper). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072343124&partnerID=40&md5=d3a20cd3a5940f3e6b27ad10f083f2bb>
- Sowoidnich, K. et al. (2019): Shifted Excitation Raman Difference Spectroscopy with Charge-Shifting Charge-Coupled Device (CCD) Lock-In Detection. In: Applied Spectroscopy (Article). DOI: 10.1177/0003702819859352. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071304060&doi=10.1177%2f0003702819859352&partnerID=40&md5=e9edf46cfb4b4389ea52ee5a2976d715>
- Steglich, P. et al. (2019): Optical biosensors based on silicon-on-insulator ring resonators: A review. In: Molecules (Article). DOI: 10.3390/molecules24030519. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85060958991&doi=10.3390%2fmolecules24030519&partnerID=40&md5=61e244264cb973dc0f1830f84e3f2921>

- Steudel, F. et al. (2019): Erratum: Pixelated phosphors for high-resolution and high-contrast white light sources (Optics Express (2018) 26 (26134-26144) DOI: 10.1364/OE.26.026134). In: Optics Express (Erratum). DOI:10.1364/OE.27.009106. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85063420131&doi=10.1364%2fOE.27.009106&partnerID=40&md5=b4c28b79128179fb1dd0a8b7a04e98f0>
- Stojcev, M. et al. (2019): Energy conservation and harvesting in wireless sensor networks. In: Wireless Communications and Mobile Computing (Editorial). DOI:10.1155/2019/7640232. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072380730&doi=10.1155%2f2019%2f7640232&partnerID=40&md5=407cbea6a8d41b720046dd6925988868>
- Sumpf, B et al. (2019): Controllable dual-wavelength-stabilized Y-branch DBR diode lasers at 785 nm for shifted excitation Raman difference spectroscopy. In: Proceedings 2015 European Conference on Lasers and Electro-Optics - European Quantum Electronics Conference, CLEO/Europe-EQEC 2015 (Conference Paper). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85063831645&partnerID=40&md5=c2ecd323b32ee226dd5b59dc38d562cc>
- Sumpf, B. et al. (2019): Tunable Y-branch dual-wavelength diode lasers in the VIS and NIR range for sensor applications. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1117/12.2509544. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85065656167&doi=10.1117%2f12.2509544&partnerID=40&md5=e3f9a6804d93930d50240a922b56b4a9>
- Sumpf, B. et al. (2019): Tailored diode lasers: Enabling Raman spectroscopy in the presence of disturbing fluorescence and background light. In: Progress in Biomedical Optics and Imaging - Proceedings of SPIE (Conference Paper). DOI:10.1117/12.2507425. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068089641&doi=10.1117%2f12.2507425&partnerID=40&md5=3f3bb5b9c8ee2f8c4636e49e163c4019>
- Surkamp, N. et al. (2019): Modelocked diode lasers for THz asynchronous optical sampling. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1117/12.2508396. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85066011481&doi=10.1117%2f12.2508396&partnerID=40&md5=a3d6a7a1b198e109fa3549474d261168>
- Trager-Cowan, C. et al. (2019): Scanning electron microscope as a flexible tool for investigating the properties of UV-emitting nitride semiconductor thin films. In: Photonics Research (Article). DOI:10.1364/PRJ.7.000B73. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074723108&doi=10.1364%2fPRJ.7.000B73&partnerID=40&md5=e35f006b41b0bc7e8c15ec907cd7e221>

Research Fab Microelectronics Germany – Sensor Systems
**Publications from the Technology Platform “Sensor Systems” of the Research Fab
Microelectronics Germany (2019)**

- Ulbricht, M. et al. (2019): Developing a configurable fault tolerant multicore system for optimized sensor processing. In: 2019 IEEE International Symposium on Defect and Fault Tolerance in VLSI and Nanotechnology Systems, DFT 2019 (Conference Paper). DOI:10.1109/DFT.2019.8875433. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074401595&doi=10.1109%2fDFT.2019.8875433&partnerID=40&md5=366c85e67e28f4a877bd7cd7d95b894c>
- Ullherr, M. (2019): SNR spectra as a quantitative model for image quality in polychromatic X-ray imaging. In: Nuclear instruments and methods in physics research, Section A. Accelerators, spectrometers, detectors and associated equipment (Zeitschriftenaufsatz).
- Urso, A. et al. (2019): An Ultra High-Frequency 8-Channel Neurostimulator Circuit with 68 Peak Power Efficiency. In: IEEE Transactions on Biomedical Circuits and Systems (Article). DOI:10.1109/TBCAS.2019.2920294. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074744404&doi=10.1109%2fTBCAS.2019.2920294&partnerID=40&md5=247a44ba2f2c62ff33172d7b4eb2d54e>
- Urso, A. et al. (2019): Correction: Comments on 'Compact, energy-efficient high-frequency switched capacitor neural stimulator with active charge balancing (IEEE Transactions on Biomedical Circuits and Systems (2017) 11:4 (878–888) DOI: 10.1109/TBCAS.2017.2694144). In: IEEE Transactions on Biomedical Circuits and Systems (Erratum). DOI:10.1109/TBCAS.2019.2898555. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85061559393&doi=10.1109%2fTBCAS.2019.2898555&partnerID=40&md5=f29f7c49ef555b1c120c1268779a28ac>
- Vlajić, M. et al. (2019): Photoswitching of fulgimides in different environments on silicon surfaces. In: Applied Surface Science (Article). DOI: 10.1016/j.apsusc.2018.09.159. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85054095989&doi=10.1016%2fj.apsusc.2018.09.159&partnerID=40&md5=c56317775b34705dfff45ed34211621b>
- Wagner, C. et al. (2019): Carbon Nanotubes for Mechanical Sensor Applications. In: Physica Status Solidi (A) Applications and Materials Science (Article). DOI:10.1002/pssa.201900584. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073617124&doi=10.1002%2fpssa.201900584&partnerID=40&md5=b8d110199dc26fba1205d9e247c2dc35>
- Walk, C. (2019): Hermetical sealing of pressure sensor diaphragms by CVD of Si1-XGeX with minimized cavity deposition. In: Smart Systems Integration 2019 (Conference Paper).
- Walk, C. (2019): A piezoelectric flexural plate wave (FPW) Bio-MEMS sensor with improved molecular mass detection for point-of-care diagnostics. In: Current directions in biomedical engineering (Article).
- Walk, C. et al. (2019): Hermeticity of Si1-XGeX Diaphragms for the Fabrication of a Capacitive Post-Cmos Pressure Sensor. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808725. Link:

- Walk, C. et al. (2019): A Piezoelectric Flexural Plate Wave (FPW) Bio-MEMS Sensor with Improved Molecular Mass Detection for Point-of-Care Diagnostics. In: Current Directions in Biomedical Engineering, (Article). DOI:10.1515/cdbme-2019-0067.
- Walk, C. et al. (2019): Entwicklung eines BIOMEMS-Sensors für die Vor-Ort-Diagnose auf Basis der Detektion von Frequenzverschiebungen der Biegewellen von funktionalisierten Membranen. In: MikroSystemTechnik Kongress 2019 (Konferenzbeitrag).
- Wang, Q. et al. (2019): With PECVD Deposited Poly-SiGe and Poly-Ge Forming Contacts Between MEMS and Electronics. In: Journal of Electronic Materials, (Article). DOI: 10.1007/s11664-019-07561-4. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071420031&doi=10.1007%2fs11664-019-07561-4&partnerID=40&md5=faa672e3559adee9684bfa227b6dcdad>
- Wankhade, A. (2019): Investigation of Transient Micro Diaphragm Pump Dynamics. (Online-Ressource).
- Weippert, J. et al. (2019): Influence of Dispersion Interactions on the Thermal Desorption of Nonplanar Polycyclic Aromatic Hydrocarbons on HOPG. In: Physica Status Solidi - Rapid Research Letters (Article). DOI:10.1002/pssr.201900348. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071252888&doi=10.1002%2fpssr.201900348&partnerID=40&md5=369151260049831f08024706cf341d68>
- Weis, M. et al. (2019): Aspects of next generation sensor/radar networks. In: Proceedings International Radar Symposium (Conference Paper). DOI:10.23919/IRS.2019.8768188. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069920360&doi=10.23919%2fIRS.2019.8768188&partnerID=40&md5=789b95463710c178c7d2fa54919cfc36>
- Weiss, R. et al. (2019): A Novel Closed Loop Current Sensor Based on a Circular Array of Magnetic Field Sensors. In: IEEE Sensors Journal (Article). DOI:10.1109/JSEN.2018.2887302. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85058873968&doi=10.1109%2fJSEN.2018.2887302&partnerID=40&md5=9a6ed1bf00b4bf158d91e755022061dc>
- Wen, Q. et al. (2019): FR4-based electromagnetic scanning micro-grating integrated with an angle sensor for a low-cost NIR micro-spectrometer. In: Applied Optics (Article). DOI:10.1364/AO.58.004642. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-8506921590&doi=10.1364%2fAO.58.004642&partnerID=40&md5=4ac8a7af990dea49ebcfef4baad6c695>
- Wiemann, M. et al. (2019): Development of a Multi Channel Piezoelectric Flexural Plate Wave Biomems-Sensor for Rapid Point-of-Care Diagnostics. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808277.

- Wintzheimer, S. et al. (2019): Hollow Superparamagnetic Nanoparticle-Based Microballoons for Mechanical Force Monitoring by Magnetic Particle Spectroscopy. In: ACS Applied Nano Materials (Article). DOI:10.1021/acsanm.9b01693. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85074676787&doi=10.1021%2facsanm.9b01693&partnerID=40&md5=da76d18012afb14b2e4d5050d70dc938>
- Wisotzky, E.L. et al. (2019): Interactive and multimodal-based augmented reality for remote assistance using a digital surgical microscope. In: 26th IEEE Conference on Virtual Reality and 3D User Interfaces, VR 2019 - Proceedings (Conference Paper). DOI:10.1109/VR.2019.8797682. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071879305&doi=10.1109%2fVR.2019.8797682&partnerID=40&md5=d804fef0c62ca48ee028547d9131fe0c>
- Wisotzky, E.L. et al. (2019): Determination of optical properties of human tissues obtained from parotidectomy in the spectral range of 250 to 800 nm. In: Progress in Biomedical Optics and Imaging - Proceedings of SPIE (Conference Paper). DOI:10.1117/12.2526743. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073709790&doi=10.1117%2f12.2526743&partnerID=40&md5=85bed28012e533daf0fc86e00595bf8>
- Wisotzky, E.L. et al. (2019): Validation of two techniques for intraoperative hyperspectral human tissue determination. In: Progress in Biomedical Optics and Imaging - Proceedings of SPIE (Conference Paper). DOI:10.1117/12.2512811. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85068905533&doi=10.1117%2f12.2512811&partnerID=40&md5=325e21a21e5f09618ef9bf0771f2f79f>
- Wittenberg, T. et al. (2019): Computer Aided Detection of Polyps in White-light-Colonoscopy Images using Deep Neural Networks. In: Current Directions in Biomedical Engineering (Article). DOI:10.1515/cdbme-2019-0059. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072636512&doi=10.1515%2fcdme-2019-0059&partnerID=40&md5=180382270c3879ef845005c5d184594c>
- Wolf, J. et al. (2019): Assessment of Additive Manufacturing Processes for Monolithic Diffractive-Refractive Micro-Components. In: 2019 20th International Conference on Solid-State Sensors, Actuators and Microsystems and Eurosensors XXXIII, TRANSDUCERS 2019 and EUROSENSORS XXXIII (Conference Paper). DOI:10.1109/TRANSDUCERS.2019.8808288. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071950619&doi=10.1109%2fTRANSDUCERS.2019.8808288&partnerID=40&md5=5d12e8688d9d20d67c2a34d1c32318f0>
- Wunderle, B. et al. (2019): Accelerated pump out testing for thermal greases. In: 2019 20th International Conference on Thermal, Mechanical and Multi-Physics Simulation and Experiments in Microelectronics and Microsystems, EuroSimE 2019 (Conference Paper). DOI:10.1109/EuroSimE.2019.8724540. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067502724&doi=10.1109%2fEuroSimE.2019.8724540&partnerID=40&md5=d12e8688d9d20d67c2a34d1c32318f0>

- Youssef, A. et al. (2019): The Impact of Melt Electrowritten Scaffold Design on Porosity Determined by X-Ray Microtomography. In: Tissue Engineering - Part C: Methods (Article). DOI: 10.1089/ten.tec.2018.0373. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85067542530&doi=10.1089%2ften.tec.2018.0373&partnerID=40&md5=48fb6b49c7b22cc52913ee152723d9e6>
- Zahn, D.R.T. et al. (2019): Sensoric Micro and Nano Systems. In: Physica Status Solidi (A) Applications and Materials Science (Editorial). DOI:10.1002/pssa.201900733. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85073458767&doi=10.1002%2fpssa.201900733&partnerID=40&md5=263ea79962bfdbb290980029d53e9205>
- Zakeri, F. Z. (2019): Non-Planar Inside-Out Dense Light-Field Dataset and Reconstruction Pipeline. In: IEEE International Conference on Image Processing, ICIP 2019. Proceedings (Conference Paper).
- Zakeri, F.S. et al. (2019): Benchmarking of several disparity estimation algorithms for light field processing. In: Proceedings of SPIE - The International Society for Optical Engineering (Conference Paper). DOI:10.1117/12.2521747. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85070208910&doi=10.1117%2f12.2521747&partnerID=40&md5=fc6d2ff9b1b0130b6eba1518cd9ff60f>
- Zhou, J. et al. (2019): A Silicon Based 4.5-GHz Near-field Capacitive Sensing Imaging Array. In: IEEE MTT-S International Microwave Symposium Digest (Conference Paper). Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85069958024&partnerID=40&md5=8ff07624324eaa36ece2968887015c84>
- Ziesche, S. (2019): On-turbine multisensors based on hybrid ceramic manufacturing technology. In: IMAPS Additional Conferences (Device Packaging, HiTEC, HiTEN, & CICMT). Online journal (Conference Paper).
- Zoschke, K. et al. (2019): High-density flexible substrate technology with thin chip embedding and partial carrier release option for IoT and sensor applications. In: Proceedings - Electronic Components and Technology Conference (Conference Paper). DOI:10.1109/ECTC.2019.00227. Link: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85072290108&doi=10.1109%2fECTC.2019.00227&partnerID=40&md5=a34ac6be0e7119aa72f228239ee9c72d>